

# Quindos Measuring Report



3D-Application Center

|                    |                  |                   |                         |
|--------------------|------------------|-------------------|-------------------------|
| Description        | PLATE, LOWER     | Customer          | R. ATKINSON             |
| Drawing Number     | PF-391-526-23 R0 | Serial Number     | 001                     |
| Remarks            |                  | Article Number    |                         |
| Supplier           | MFD              | Delivery Date     |                         |
| Delivery Note      |                  | Delivery Volume   |                         |
| Lot Number         |                  | Lot Size          |                         |
| Test Schedule      |                  | Sample Size       |                         |
| Production Machine |                  | Production Tool   |                         |
| Production Date    |                  | Production Time   |                         |
| Order              | 24404-3          | Department        | MET. QUALITY INSPEC     |
| Inspector          | kcaban           | Inspection Date   | 30-JAN-2009, 09:01:49   |
| Measuring Device   | PMM 12 10 6 #496 | Measuring Program | Quindos7 - V 7.1.8350-B |
| User Name          | kcaban           | WKP Name          | PF39125623              |

| Text              | Eval.  | Actual  | Nominal    | Up.To1. | Low.To1. | Act-Nom | Graphic |
|-------------------|--------|---------|------------|---------|----------|---------|---------|
| <b>DIST_5P00</b>  |        |         | <b>POI</b> |         |          |         |         |
|                   | Y      | 5.00330 | 5.00000    | 0.02000 | -0.02000 | 0.00330 |         |
| <b>DIST_7P25</b>  |        |         | <b>POI</b> |         |          |         |         |
|                   | X      | 7.25231 | 7.25000    | 0.02000 | -0.02000 | 0.00231 |         |
| <b>RAD_P25</b>    |        |         | <b>CIR</b> |         |          |         |         |
|                   | RA     | 0.25050 | 0.25000    | 0.02000 | -0.02000 | 0.00050 |         |
| <b>POS\$M5(1)</b> |        |         | <b>AXI</b> |         |          |         |         |
|                   | POSITN | 0.00160 | 0.00000    | 0.15000 | 0.00000  | 0.00160 |         |
| <b>POS\$M5(2)</b> |        |         | <b>AXI</b> |         |          |         |         |
|                   | POSITN | 0.00361 | 0.00000    | 0.15000 | 0.00000  | 0.00361 |         |
| <b>POS\$M5(3)</b> |        |         | <b>AXI</b> |         |          |         |         |
|                   | POSITN | 0.00368 | 0.00000    | 0.15000 | 0.00000  | 0.00368 |         |
| <b>POS\$M5(4)</b> |        |         | <b>AXI</b> |         |          |         |         |
|                   | POSITN | 0.00129 | 0.00000    | 0.15000 | 0.00000  | 0.00129 |         |
| <b>POS\$M5(5)</b> |        |         | <b>AXI</b> |         |          |         |         |
|                   | POSITN | 0.00324 | 0.00000    | 0.15000 | 0.00000  | 0.00324 |         |
| <b>POS\$M5(6)</b> |        |         | <b>AXI</b> |         |          |         |         |
|                   | POSITN | 0.00562 | 0.00000    | 0.15000 | 0.00000  | 0.00562 |         |
| <b>POS\$M5(7)</b> |        |         | <b>AXI</b> |         |          |         |         |
|                   | POSITN | 0.00184 | 0.00000    | 0.15000 | 0.00000  | 0.00184 |         |