

# Quindos Measuring Report



3D-Application Center

|                    |                  |                   |                         |
|--------------------|------------------|-------------------|-------------------------|
| Description        | TANK FINAL ASSY  | Customer          | E. BONG                 |
| Drawing Number     | SA-391-740-04    | Serial Number     | 1002                    |
| Remarks            |                  | Article Number    |                         |
| Supplier           | MFD              | Delivery Date     |                         |
| Delivery Note      |                  | Delivery Volume   |                         |
| Lot Number         |                  | Lot Size          |                         |
| Test Schedule      |                  | Sample Size       |                         |
| Production Machine |                  | Production Tool   |                         |
| Production Date    |                  | Production Time   |                         |
| Order              | 24462-2          | Department        | MET. QUALITY INSPEC     |
| Inspector          | kcaban           | Inspection Date   | 30-JUN-2009, 12:33:57   |
| Measuring Device   | PMM 12 10 6 #496 | Measuring Program | Quindos7 - V 7.1.9166-B |
| User Name          | kcaban           | WKP Name          | SA39174004              |

| Text | Eval. | Actual | Nominal | Up.To1. | Low.To1. | Act-Nom | Graphic |
|------|-------|--------|---------|---------|----------|---------|---------|
|------|-------|--------|---------|---------|----------|---------|---------|

|                      |  |            |         |         |         |          |           |
|----------------------|--|------------|---------|---------|---------|----------|-----------|
| <b>THRD_51618(1)</b> |  | <b>CIR</b> |         |         |         |          |           |
| X                    |  | 2.15157    | 2.15000 |         |         | 0.00157  |           |
| Y                    |  | 2.19406    | 2.20000 |         |         | -0.00594 |           |
| <b>POS_51618(1)</b>  |  | <b>POI</b> |         |         |         |          |           |
| POSITN               |  | 0.01228    | 0.00000 | 0.01500 | 0.00000 | 0.01228  |           |
| <b>THRD_51618(2)</b> |  | <b>CIR</b> |         |         |         |          |           |
| X                    |  | 2.15152    | 2.15000 |         |         | 0.00152  |           |
| Y                    |  | -2.19187   | 2.20000 |         |         | -0.00813 |           |
| <b>POS_51618(2)</b>  |  | <b>POI</b> |         |         |         |          |           |
| POSITN               |  | 0.01653    | 0.00000 | 0.01500 | 0.00000 | 0.01653  | 0.00153 ◀ |
| <b>THRD_51618(3)</b> |  | <b>CIR</b> |         |         |         |          |           |
| X                    |  | -7.16046   | 7.15000 |         |         | 0.01046  |           |
| Y                    |  | -2.19301   | 2.20000 |         |         | -0.00699 |           |
| <b>POS_51618(3)</b>  |  | <b>POI</b> |         |         |         |          |           |
| POSITN               |  | 0.02515    | 0.00000 | 0.01500 | 0.00000 | 0.02515  | 0.01015 ◀ |
| <b>THRD_51618(4)</b> |  | <b>CIR</b> |         |         |         |          |           |
| X                    |  | -7.16158   | 7.15000 |         |         | 0.01158  |           |
| Y                    |  | 2.19216    | 2.20000 |         |         | -0.00784 |           |
| <b>POS_51618(4)</b>  |  | <b>POI</b> |         |         |         |          |           |
| POSITN               |  | 0.02797    | 0.00000 | 0.01500 | 0.00000 | 0.02797  | 0.01297 ◀ |
| <b>DX_9P300(1)</b>   |  | <b>AXI</b> |         |         |         |          |           |
| DX                   |  | -9.31315   | 9.30000 |         |         | 0.01315  |           |
| <b>DX_9P300(2)</b>   |  | <b>AXI</b> |         |         |         |          |           |
| DX                   |  | -9.31197   | 9.30000 |         |         | 0.01197  |           |
| <b>DY_4P400(1)</b>   |  | <b>AXI</b> |         |         |         |          |           |
| DY                   |  | -4.38594   | 4.40000 |         |         | -0.01406 |           |
| <b>DY_4P400(2)</b>   |  | <b>AXI</b> |         |         |         |          |           |
| DY                   |  | -4.38518   | 4.40000 |         |         | -0.01482 |           |

| Text                      | Eval. | Actual | Nominal | Up.To1.    | Low.To1. | Act-Nom     | Graphic |
|---------------------------|-------|--------|---------|------------|----------|-------------|---------|
| Date: 30-Jun-09, 12:33:58 |       |        |         | SA39174004 |          | Page 1 of 3 |         |

| Date: 30-Jun-09, 12:33:58 |       |           | SA39174004 |         |          | Page 2 of 3 |            |
|---------------------------|-------|-----------|------------|---------|----------|-------------|------------|
| Text                      | Eval. | Actual    | Nominal    | Up.To1. | Low.To1. | Act-Nom     | Graphic    |
| <b>PROF(1)</b>            |       |           | <b>PLA</b> |         |          |             |            |
| Z                         |       | 0.00815   | 0.00000    | 0.00500 | -0.00500 | 0.00815     | 0.00315 ◀  |
| <b>PROF(2)</b>            |       |           | <b>PLA</b> |         |          |             |            |
| Z                         |       | 0.01211   | 0.00000    | 0.00500 | -0.00500 | 0.01211     | 0.00711 ◀  |
| <b>PROF(3)</b>            |       |           | <b>PLA</b> |         |          |             |            |
| Z                         |       | 0.00991   | 0.00000    | 0.00500 | -0.00500 | 0.00991     | 0.00491 ◀  |
| <b>PROF(4)</b>            |       |           | <b>PLA</b> |         |          |             |            |
| Z                         |       | 0.00669   | 0.00000    | 0.00500 | -0.00500 | 0.00669     | 0.00169 ◀  |
| <b>DAT\$CIR_C</b>         |       |           | <b>CIR</b> |         |          |             |            |
| FORM                      |       | 0.00057   |            |         |          |             |            |
| DM                        |       | 10.48884  |            |         |          |             |            |
| X                         |       | -2.47935  | 2.50000    |         |          | -0.02065    |            |
| Z                         |       | -6.86138  | 6.88000    |         |          | -0.01862    |            |
| <b>DZ_10P60(1)</b>        |       |           | <b>PLA</b> |         |          |             |            |
| Z                         |       | -10.59078 | 10.60000   | 0.01000 | -0.01000 | -0.00922    |            |
| <b>PAR_10P60(1)</b>       |       |           | <b>PLA</b> |         |          |             |            |
| PARALL                    |       | 0.00738   | 0.00000    | 0.03000 | 0.00000  | 0.00738     |            |
| <b>DZ_10P60(2)</b>        |       |           | <b>PLA</b> |         |          |             |            |
| Z                         |       | -10.60410 | 10.60000   | 0.01000 | -0.01000 | 0.00410     |            |
| <b>PAR_10P60(2)</b>       |       |           | <b>PLA</b> |         |          |             |            |
| PARALL                    |       | 0.01137   | 0.00000    | 0.03000 | 0.00000  | 0.01137     |            |
| <b>DX_1P750(1)</b>        |       |           | <b>PLA</b> |         |          |             |            |
| X                         |       | -1.73824  | 1.75000    | 0.00500 | -0.00500 | -0.01176    | -0.00676 ◀ |
| <b>DX_1P750(2)</b>        |       |           | <b>PLA</b> |         |          |             |            |
| X                         |       | 1.77701   | 1.75000    | 0.00500 | -0.00500 | 0.02701     | 0.02201 ◀  |
| <b>DX_3P500</b>           |       |           | <b>AXI</b> |         |          |             |            |
| DX                        |       | 3.51525   | 3.50000    | 0.01000 | -0.01000 | 0.01525     | 0.00525 ◀  |
| <b>DZ_P375(1)</b>         |       |           | <b>POI</b> |         |          |             |            |
| Z                         |       | -0.37521  | 0.37500    | 0.00500 | -0.00500 | 0.00021     |            |
| <b>DZ_P375(2)</b>         |       |           | <b>POI</b> |         |          |             |            |
| Z                         |       | -0.38155  | 0.37500    | 0.00500 | -0.00500 | 0.00655     | 0.00155 ◀  |
| <b>DZ_5P15(1)</b>         |       |           | <b>POI</b> |         |          |             |            |
| Z                         |       | -5.14788  | 5.15000    | 0.01000 | -0.01000 | -0.00212    |            |
| <b>DZ_5P15(2)</b>         |       |           | <b>POI</b> |         |          |             |            |
| Z                         |       | -5.14282  | 5.15000    | 0.01000 | -0.01000 | -0.00718    |            |
| <b>DZ_6P88(1)</b>         |       |           | <b>AXI</b> |         |          |             |            |
| DZ                        |       | 6.86953   | 6.88000    | 0.02000 | -0.02000 | -0.01047    |            |
| <b>DZ_6P88(2)</b>         |       |           | <b>AXI</b> |         |          |             |            |
| DZ                        |       | 6.87349   | 6.88000    | 0.02000 | -0.02000 | -0.00651    |            |
| <b>DZ_6P88(3)</b>         |       |           | <b>AXI</b> |         |          |             |            |
| DZ                        |       | 6.87129   | 6.88000    | 0.02000 | -0.02000 | -0.00871    |            |

| Date: 30-Jun-09, 12:33:58 |       |            | SA39174004 |         |          | Page 3 of 3 |         |
|---------------------------|-------|------------|------------|---------|----------|-------------|---------|
| Text                      | Eval. | Actual     | Nominal    | Up.Tol. | Low.Tol. | Act-Nom     | Graphic |
| <b>DZ_6P88(4)</b>         |       | <b>AXI</b> |            |         |          |             |         |
|                           | DZ    | 6.86806    | 6.88000    | 0.02000 | -0.02000 | -0.01194    |         |
| <b>DZ_5P52(1)</b>         |       | <b>CIR</b> |            |         |          |             |         |
|                           | Z     | -5.51675   | 5.52000    | 0.01000 | -0.01000 | -0.00325    |         |
| <b>FLG_L</b>              |       | <b>CIR</b> |            |         |          |             |         |
|                           | Z     | -8.36423   | 8.38000    | 0.02000 | -0.02000 | -0.01577    |         |
| <b>FLG_L</b>              |       | <b>CIR</b> |            |         |          |             |         |
|                           | Y     | 0.00263    | 0.00000    |         |          | 0.00263     |         |
|                           | Z     | -8.36858   | 8.38000    | 0.02000 | -0.02000 | -0.01142    |         |
| <b>DZ_5P52(2)</b>         |       | <b>CIR</b> |            |         |          |             |         |
|                           | Z     | -5.52238   | 5.52000    | 0.01000 | -0.01000 | 0.00238     |         |
| <b>FLG_R</b>              |       | <b>CIR</b> |            |         |          |             |         |
|                           | Y     | -0.02643   | 0.00000    |         |          | 0.02643     |         |
|                           | Z     | -8.36633   | 8.38000    | 0.02000 | -0.02000 | -0.01367    |         |

| Text                      | Eval. | Actual | Nominal    | Up.Tol. | Low.Tol. | Act-Nom     | Graphic |
|---------------------------|-------|--------|------------|---------|----------|-------------|---------|
| Date: 30-Jun-09, 12:33:58 |       |        | SA39174004 |         |          | Page 3 of 3 |         |

# Quindos Measuring Report



3D-Application Center

|                    |                  |                   |                         |
|--------------------|------------------|-------------------|-------------------------|
| Description        | TANK FINAL ASSY  | Customer          | E. BONG                 |
| Drawing Number     | SA-391-740-04    | Serial Number     | 1003                    |
| Remarks            |                  | Article Number    |                         |
| Supplier           | MFD              | Delivery Date     |                         |
| Delivery Note      |                  | Delivery Volume   |                         |
| Lot Number         |                  | Lot Size          |                         |
| Test Schedule      |                  | Sample Size       |                         |
| Production Machine |                  | Production Tool   |                         |
| Production Date    |                  | Production Time   |                         |
| Order              | 24462-2          | Department        | MET. QUALITY INSPEC     |
| Inspector          | kcaban           | Inspection Date   | 30-JUN-2009, 13:33:50   |
| Measuring Device   | PMM 12 10 6 #496 | Measuring Program | Quindos7 - V 7.1.9166-B |
| User Name          | kcaban           | WKP Name          | SA39174004              |

| Text                 | Eval. | Actual     | Nominal | Up.To1. | Low.To1. | Act-Nom  | Graphic   |
|----------------------|-------|------------|---------|---------|----------|----------|-----------|
| <b>THRD_51618(1)</b> |       | <b>CIR</b> |         |         |          |          |           |
| X                    |       | 2.15097    | 2.15000 |         |          | 0.00097  |           |
| Y                    |       | 2.20502    | 2.20000 |         |          | 0.00502  |           |
| <b>POS_51618(1)</b>  |       | <b>POI</b> |         |         |          |          |           |
| POSITN               |       | 0.01022    | 0.00000 | 0.01500 | 0.00000  | 0.01022  |           |
| <b>THRD_51618(2)</b> |       | <b>CIR</b> |         |         |          |          |           |
| X                    |       | 2.15463    | 2.15000 |         |          | 0.00463  |           |
| Y                    |       | -2.19498   | 2.20000 |         |          | -0.00502 |           |
| <b>POS_51618(2)</b>  |       | <b>POI</b> |         |         |          |          |           |
| POSITN               |       | 0.01366    | 0.00000 | 0.01500 | 0.00000  | 0.01366  |           |
| <b>THRD_51618(3)</b> |       | <b>CIR</b> |         |         |          |          |           |
| X                    |       | -7.13443   | 7.15000 |         |          | -0.01557 |           |
| Y                    |       | -2.22250   | 2.20000 |         |          | 0.02250  |           |
| <b>POS_51618(3)</b>  |       | <b>POI</b> |         |         |          |          |           |
| POSITN               |       | 0.05473    | 0.00000 | 0.01500 | 0.00000  | 0.05473  | 0.03973 ◀ |
| <b>THRD_51618(4)</b> |       | <b>CIR</b> |         |         |          |          |           |
| X                    |       | -7.15269   | 7.15000 |         |          | 0.00269  |           |
| Y                    |       | 2.16990    | 2.20000 |         |          | -0.03010 |           |
| <b>POS_51618(4)</b>  |       | <b>POI</b> |         |         |          |          |           |
| POSITN               |       | 0.06043    | 0.00000 | 0.01500 | 0.00000  | 0.06043  | 0.04543 ◀ |
| <b>DX_9P300(1)</b>   |       | <b>AXI</b> |         |         |          |          |           |
| DX                   |       | -9.30365   | 9.30000 |         |          | 0.00365  |           |
| <b>DX_9P300(2)</b>   |       | <b>AXI</b> |         |         |          |          |           |
| DX                   |       | -9.28906   | 9.30000 |         |          | -0.01094 |           |
| <b>DY_4P400(1)</b>   |       | <b>AXI</b> |         |         |          |          |           |
| DY                   |       | -4.40000   | 4.40000 |         |          | 0.00000  |           |
| <b>DY_4P400(2)</b>   |       | <b>AXI</b> |         |         |          |          |           |
| DY                   |       | -4.39241   | 4.40000 |         |          | -0.00759 |           |

| Text                      | Eval. | Actual | Nominal | Up.To1.    | Low.To1. | Act-Nom     | Graphic |
|---------------------------|-------|--------|---------|------------|----------|-------------|---------|
| Date: 30-Jun-09, 13:33:50 |       |        |         | SA39174004 |          | Page 1 of 3 |         |

| Date: 30-Jun-09, 13:33:50 |       |           | SA39174004 |         |          | Page 2 of 3 |            |
|---------------------------|-------|-----------|------------|---------|----------|-------------|------------|
| Text                      | Eval. | Actual    | Nominal    | Up.To1. | Low.To1. | Act-Nom     | Graphic    |
| <b>PROF(1)</b>            |       |           | <b>PLA</b> |         |          |             |            |
| Z                         |       | 0.01630   | 0.00000    | 0.00500 | -0.00500 | 0.01630     | 0.01130 ◀  |
| <b>PROF(2)</b>            |       |           | <b>PLA</b> |         |          |             |            |
| Z                         |       | 0.01947   | 0.00000    | 0.00500 | -0.00500 | 0.01947     | 0.01447 ◀  |
| <b>PROF(3)</b>            |       |           | <b>PLA</b> |         |          |             |            |
| Z                         |       | 0.01364   | 0.00000    | 0.00500 | -0.00500 | 0.01364     | 0.00864 ◀  |
| <b>PROF(4)</b>            |       |           | <b>PLA</b> |         |          |             |            |
| Z                         |       | 0.00955   | 0.00000    | 0.00500 | -0.00500 | 0.00955     | 0.00455 ◀  |
| <b>DAT\$CIR_C</b>         |       |           | <b>CIR</b> |         |          |             |            |
| FORM                      |       | 0.00941   |            |         |          |             |            |
| DM                        |       | 10.48595  |            |         |          |             |            |
| X                         |       | -2.50980  | 2.50000    |         |          | 0.00980     |            |
| Z                         |       | -6.85802  | 6.88000    |         |          | -0.02198    |            |
| <b>DZ_10P60(1)</b>        |       |           | <b>PLA</b> |         |          |             |            |
| Z                         |       | -10.58814 | 10.60000   | 0.01000 | -0.01000 | -0.01186    | -0.00186 ◀ |
| <b>PAR_10P60(1)</b>       |       |           | <b>PLA</b> |         |          |             |            |
| PARALL                    |       | 0.00427   | 0.00000    | 0.03000 | 0.00000  | 0.00427     |            |
| <b>DZ_10P60(2)</b>        |       |           | <b>PLA</b> |         |          |             |            |
| Z                         |       | -10.60158 | 10.60000   | 0.01000 | -0.01000 | 0.00158     |            |
| <b>PAR_10P60(2)</b>       |       |           | <b>PLA</b> |         |          |             |            |
| PARALL                    |       | 0.00613   | 0.00000    | 0.03000 | 0.00000  | 0.00613     |            |
| <b>DX_1P750(1)</b>        |       |           | <b>PLA</b> |         |          |             |            |
| X                         |       | -1.74334  | 1.75000    | 0.00500 | -0.00500 | -0.00666    | -0.00166 ◀ |
| <b>DX_1P750(2)</b>        |       |           | <b>PLA</b> |         |          |             |            |
| X                         |       | 1.78655   | 1.75000    | 0.00500 | -0.00500 | 0.03655     | 0.03155 ◀  |
| <b>DX_3P500</b>           |       |           | <b>AXI</b> |         |          |             |            |
| DX                        |       | 3.52989   | 3.50000    | 0.01000 | -0.01000 | 0.02989     | 0.01989 ◀  |
| <b>DZ_P375(1)</b>         |       |           | <b>POI</b> |         |          |             |            |
| Z                         |       | -0.38016  | 0.37500    | 0.00500 | -0.00500 | 0.00516     | 0.00016 ◀  |
| <b>DZ_P375(2)</b>         |       |           | <b>POI</b> |         |          |             |            |
| Z                         |       | -0.39015  | 0.37500    | 0.00500 | -0.00500 | 0.01515     | 0.01015 ◀  |
| <b>DZ_5P15(1)</b>         |       |           | <b>POI</b> |         |          |             |            |
| Z                         |       | -5.13537  | 5.15000    | 0.01000 | -0.01000 | -0.01463    | -0.00463 ◀ |
| <b>DZ_5P15(2)</b>         |       |           | <b>POI</b> |         |          |             |            |
| Z                         |       | -5.14199  | 5.15000    | 0.01000 | -0.01000 | -0.00801    |            |
| <b>DZ_6P88(1)</b>         |       |           | <b>AXI</b> |         |          |             |            |
| DZ                        |       | 6.87432   | 6.88000    | 0.02000 | -0.02000 | -0.00568    |            |
| <b>DZ_6P88(2)</b>         |       |           | <b>AXI</b> |         |          |             |            |
| DZ                        |       | 6.87748   | 6.88000    | 0.02000 | -0.02000 | -0.00252    |            |
| <b>DZ_6P88(3)</b>         |       |           | <b>AXI</b> |         |          |             |            |
| DZ                        |       | 6.87165   | 6.88000    | 0.02000 | -0.02000 | -0.00835    |            |

| Date: 30-Jun-09, 13:33:50 |       |            | SA39174004 |         |          | Page 3 of 3 |            |
|---------------------------|-------|------------|------------|---------|----------|-------------|------------|
| Text                      | Eval. | Actual     | Nominal    | Up.Tol. | Low.Tol. | Act-Nom     | Graphic    |
| <b>DZ_6P88(4)</b>         |       | <b>AXI</b> |            |         |          |             |            |
| DZ                        |       | 6.86757    | 6.88000    | 0.02000 | -0.02000 | -0.01243    |            |
| <b>DZ_5P52(1)</b>         |       | <b>CIR</b> |            |         |          |             |            |
| Z                         |       | -5.51623   | 5.52000    | 0.01000 | -0.01000 | -0.00377    |            |
| <b>FLG_L</b>              |       | <b>CIR</b> |            |         |          |             |            |
| Y                         |       | -0.00641   | 0.00000    |         |          | 0.00641     |            |
| Z                         |       | -8.36028   | 8.38000    | 0.02000 | -0.02000 | -0.01972    |            |
| <b>DZ_5P52(2)</b>         |       | <b>CIR</b> |            |         |          |             |            |
| Z                         |       | -5.50962   | 5.52000    | 0.01000 | -0.01000 | -0.01038    | -0.00038 ◀ |
| <b>FLG_R</b>              |       | <b>CIR</b> |            |         |          |             |            |
| Y                         |       | 0.00853    | 0.00000    |         |          | 0.00853     |            |
| Z                         |       | -8.35190   | 8.38000    | 0.02000 | -0.02000 | -0.02810    | -0.00810 ◀ |

| Text                      | Eval. | Actual | Nominal    | Up.Tol. | Low.Tol. | Act-Nom     | Graphic |
|---------------------------|-------|--------|------------|---------|----------|-------------|---------|
| Date: 30-Jun-09, 13:33:50 |       |        | SA39174004 |         |          | Page 3 of 3 |         |

# Quindos Measuring Report



3D-Application Center

|                    |                  |                   |                         |
|--------------------|------------------|-------------------|-------------------------|
| Description        | TANK FINAL ASSY  | Customer          | E. BONG                 |
| Drawing Number     | SA-391-740-04    | Serial Number     | 1004                    |
| Remarks            |                  | Article Number    |                         |
| Supplier           | MFD              | Delivery Date     |                         |
| Delivery Note      |                  | Delivery Volume   |                         |
| Lot Number         |                  | Lot Size          |                         |
| Test Schedule      |                  | Sample Size       |                         |
| Production Machine |                  | Production Tool   |                         |
| Production Date    |                  | Production Time   |                         |
| Order              | 24461-2          | Department        | MET. QUALITY INSPEC     |
| Inspector          | kcaban           | Inspection Date   | 01-JUL-2009, 07:39:15   |
| Measuring Device   | PMM 12 10 6 #496 | Measuring Program | Quindos7 - V 7.1.9166-B |
| User Name          | kcaban           | WKP Name          | SA39174004              |

| Text                 | Eval. | Actual     | Nominal | Up.To1. | Low.To1. | Act-Nom  | Graphic   |
|----------------------|-------|------------|---------|---------|----------|----------|-----------|
| <b>THRD_51618(1)</b> |       | <b>CIR</b> |         |         |          |          |           |
| X                    |       | 2.16098    | 2.15000 |         |          | 0.01098  |           |
| Y                    |       | 2.19170    | 2.20000 |         |          | -0.00830 |           |
| <b>POS_51618(1)</b>  |       | <b>POI</b> |         |         |          |          |           |
| POSITN               |       | 0.02753    | 0.00000 | 0.01500 | 0.00000  | 0.02753  | 0.01253 ◀ |
| <b>THRD_51618(2)</b> |       | <b>CIR</b> |         |         |          |          |           |
| X                    |       | 2.14085    | 2.15000 |         |          | -0.00915 |           |
| Y                    |       | -2.17215   | 2.20000 |         |          | -0.02785 |           |
| <b>POS_51618(2)</b>  |       | <b>POI</b> |         |         |          |          |           |
| POSITN               |       | 0.05862    | 0.00000 | 0.01500 | 0.00000  | 0.05862  | 0.04362 ◀ |
| <b>THRD_51618(3)</b> |       | <b>CIR</b> |         |         |          |          |           |
| X                    |       | -7.15802   | 7.15000 |         |          | 0.00802  |           |
| Y                    |       | -2.16478   | 2.20000 |         |          | -0.03522 |           |
| <b>POS_51618(3)</b>  |       | <b>POI</b> |         |         |          |          |           |
| POSITN               |       | 0.07225    | 0.00000 | 0.01500 | 0.00000  | 0.07225  | 0.05725 ◀ |
| <b>THRD_51618(4)</b> |       | <b>CIR</b> |         |         |          |          |           |
| X                    |       | -7.16115   | 7.15000 |         |          | 0.01115  |           |
| Y                    |       | 2.19591    | 2.20000 |         |          | -0.00409 |           |
| <b>POS_51618(4)</b>  |       | <b>POI</b> |         |         |          |          |           |
| POSITN               |       | 0.02375    | 0.00000 | 0.01500 | 0.00000  | 0.02375  | 0.00875 ◀ |
| <b>DX_9P300(1)</b>   |       | <b>AXI</b> |         |         |          |          |           |
| DX                   |       | -9.32213   | 9.30000 |         |          | 0.02213  |           |
| <b>DX_9P300(2)</b>   |       | <b>AXI</b> |         |         |          |          |           |
| DX                   |       | -9.29887   | 9.30000 |         |          | -0.00113 |           |
| <b>DY_4P400(1)</b>   |       | <b>AXI</b> |         |         |          |          |           |
| DY                   |       | -4.36386   | 4.40000 |         |          | -0.03614 |           |
| <b>DY_4P400(2)</b>   |       | <b>AXI</b> |         |         |          |          |           |
| DY                   |       | -4.36069   | 4.40000 |         |          | -0.03931 |           |



| Text                      | Eval. | Actual     | Nominal | Up.To1. | Low.To1.    | Act-Nom | Graphic |
|---------------------------|-------|------------|---------|---------|-------------|---------|---------|
| Date: 01-Jul-09, 07:39:16 |       | SA39174004 |         |         | Page 1 of 3 |         |         |

| Date: 01-Jul-09, 07:39:16 |       |        | SA39174004 |         |          | Page 2 of 3 |         |
|---------------------------|-------|--------|------------|---------|----------|-------------|---------|
| Text                      | Eval. | Actual | Nominal    | Up.To1. | Low.To1. | Act-Nom     | Graphic |

|                     |  |            |          |         |          |          |            |
|---------------------|--|------------|----------|---------|----------|----------|------------|
| <b>PROF(1)</b>      |  | <b>PLA</b> |          |         |          |          |            |
| Z                   |  | 0.00953    | 0.00000  | 0.00500 | -0.00500 | 0.00953  | 0.00453 ◀  |
| <b>PROF(2)</b>      |  | <b>PLA</b> |          |         |          |          |            |
| Z                   |  | 0.01270    | 0.00000  | 0.00500 | -0.00500 | 0.01270  | 0.00770 ◀  |
| <b>PROF(3)</b>      |  | <b>PLA</b> |          |         |          |          |            |
| Z                   |  | 0.01650    | 0.00000  | 0.00500 | -0.00500 | 0.01650  | 0.01150 ◀  |
| <b>PROF(4)</b>      |  | <b>PLA</b> |          |         |          |          |            |
| Z                   |  | 0.01054    | 0.00000  | 0.00500 | -0.00500 | 0.01054  | 0.00554 ◀  |
| <b>DAT\$CIR_C</b>   |  | <b>CIR</b> |          |         |          |          |            |
| FORM                |  | 0.00033    |          |         |          |          |            |
| DM                  |  | 10.47924   |          |         |          |          |            |
| X                   |  | -2.53128   | 2.50000  |         |          | 0.03128  |            |
| Z                   |  | -6.85462   | 6.88000  |         |          | -0.02538 |            |
| <b>DZ_10P60(1)</b>  |  | <b>PLA</b> |          |         |          |          |            |
| Z                   |  | -10.58536  | 10.60000 | 0.01000 | -0.01000 | -0.01464 | -0.00464 ◀ |
| <b>PAR_10P60(1)</b> |  | <b>PLA</b> |          |         |          |          |            |
| PARALL              |  | 0.00554    | 0.00000  | 0.03000 | 0.00000  | 0.00554  |            |
| <b>DZ_10P60(2)</b>  |  | <b>PLA</b> |          |         |          |          |            |
| Z                   |  | -10.59586  | 10.60000 | 0.01000 | -0.01000 | -0.00414 |            |
| <b>PAR_10P60(2)</b> |  | <b>PLA</b> |          |         |          |          |            |
| PARALL              |  | 0.00584    | 0.00000  | 0.03000 | 0.00000  | 0.00584  |            |
| <b>DX_1P750(1)</b>  |  | <b>PLA</b> |          |         |          |          |            |
| X                   |  | -1.73382   | 1.75000  | 0.00500 | -0.00500 | -0.01618 | -0.01118 ◀ |
| <b>DX_1P750(2)</b>  |  | <b>PLA</b> |          |         |          |          |            |
| X                   |  | 1.78010    | 1.75000  | 0.00500 | -0.00500 | 0.03010  | 0.02510 ◀  |
| <b>DX_3P500</b>     |  | <b>AXI</b> |          |         |          |          |            |
| DX                  |  | 3.51392    | 3.50000  | 0.01000 | -0.01000 | 0.01392  | 0.00392 ◀  |
| <b>DZ_P375(1)</b>   |  | <b>POI</b> |          |         |          |          |            |
| Z                   |  | -0.37907   | 0.37500  | 0.00500 | -0.00500 | 0.00407  |            |
| <b>DZ_P375(2)</b>   |  | <b>POI</b> |          |         |          |          |            |
| Z                   |  | -0.39114   | 0.37500  | 0.00500 | -0.00500 | 0.01614  | 0.01114 ◀  |
| <b>DZ_5P15(1)</b>   |  | <b>POI</b> |          |         |          |          |            |
| Z                   |  | -5.13800   | 5.15000  | 0.01000 | -0.01000 | -0.01200 | -0.00200 ◀ |
| <b>DZ_5P15(2)</b>   |  | <b>POI</b> |          |         |          |          |            |
| Z                   |  | -5.12075   | 5.15000  | 0.01000 | -0.01000 | -0.02925 | -0.01925 ◀ |
| <b>DZ_6P88(1)</b>   |  | <b>AXI</b> |          |         |          |          |            |
| DZ                  |  | 6.86415    | 6.88000  | 0.02000 | -0.02000 | -0.01585 |            |
| <b>DZ_6P88(2)</b>   |  | <b>AXI</b> |          |         |          |          |            |
| DZ                  |  | 6.86732    | 6.88000  | 0.02000 | -0.02000 | -0.01268 |            |
| <b>DZ_6P88(3)</b>   |  | <b>AXI</b> |          |         |          |          |            |
| DZ                  |  | 6.87112    | 6.88000  | 0.02000 | -0.02000 | -0.00888 |            |

| Text                      | Eval. | Actual | Nominal    | Up.To1. | Low.To1. | Act-Nom     | Graphic |
|---------------------------|-------|--------|------------|---------|----------|-------------|---------|
| Date: 01-Jul-09, 07:39:16 |       |        | SA39174004 |         |          | Page 2 of 3 |         |



| Date: 01-Jul-09, 07:39:16 |       |            | SA39174004 |         |          | Page 3 of 3 |   |
|---------------------------|-------|------------|------------|---------|----------|-------------|---|
| Text                      | Eval. | Actual     | Nominal    | Up.Tol. | Low.Tol. | Act-Nom     | Graphic   |
| <b>DZ_6P88(4)</b>         |       | <b>AXI</b> |            |         |          |             |   |
|                           | DZ    | 6.86516    | 6.88000    | 0.02000 | -0.02000 | -0.01484    |  |
| <b>DZ_5P52(1)</b>         |       | <b>CIR</b> |            |         |          |             |   |
|                           | Z     | -5.49129   | 5.52000    | 0.01000 | -0.01000 | -0.02871    | -0.01871 ◀  |
| <b>FLG_L</b>              |       | <b>CIR</b> |            |         |          |             |   |
|                           | Y     | 0.03645    | 0.00000    |         |          | 0.03645     |   |
|                           | Z     | -8.34974   | 8.38000    | 0.02000 | -0.02000 | -0.03026    | -0.01026 ◀  |
| <b>DZ_5P52(2)</b>         |       | <b>CIR</b> |            |         |          |             |   |
|                           | Z     | -5.50863   | 5.52000    | 0.01000 | -0.01000 | -0.01137    | -0.00137 ◀  |
| <b>FLG_R</b>              |       | <b>CIR</b> |            |         |          |             |   |
|                           | Y     | -0.02497   | 0.00000    |         |          | 0.02497     |   |
|                           | Z     | -8.36300   | 8.38000    | 0.02000 | -0.02000 | -0.01700    |  |

| Text                      | Eval. | Actual | Nominal    | Up.Tol. | Low.Tol. | Act-Nom     | Graphic |
|---------------------------|-------|--------|------------|---------|----------|-------------|---------|
| Date: 01-Jul-09, 07:39:16 |       |        | SA39174004 |         |          | Page 3 of 3 |         |