

Actual points : * * * Neg. Deviation : ———— Pos. Deviation : ————

Notation : **BXPM-1 CHAMBER** Producer : **K. RATCLIFFE** Draw. No. : **SA-380-418-34**
 Ser. No. : **1** Part No. : Department: **MET/QC**
 Element : **CHAMBER_PLA(1)**


		X	Y	Z	No.	
Form	0.0524	Neg. Deviat.: -0.0213	1.0189	19.9778	-0.9844	86
Error Magnif.:	5	Pos. Deviat.: 0.0311	1.0190	1.5751	-4.6878	39
No. of points:	95					

MESSTECHNIK WETZLAR



FLATNESS
ISO 1101

Inspector : **KCABAN**
 Date: **28-JAN-2008**
 Time: **10:25:26**



0.01933
Inch

Actual points : * * *

Neg. Deviation : ————

Pos. Deviation : ————

Notation : **BXPM-1 CHAMBER**

Producer : **K. RATCLIFFE**

Draw. No. : **SA-380-418-34**

Ser. No. : **1**

Part No. :

Department: **MET/QC**

Element : **CHAMBER_PLA(2)**

		X	Y	Z	No.	
Form	0.0497	Neg. Deviat.: -0.0194	-1.0575	19.9777	-8.3908	10
Error Magnif.:	5	Pos. Deviat.: 0.0303	-1.1004	1.5753	-4.6881	39
No. of points:	95					

MESSTECHNIK WETZLAR



FLATNESS
ISO 1101


Inspector : **KCABAN**

Date: **28-JAN-2008**

Time: **10:25:26**

Material side

0.02953
Inch



Points

X= 0.9582
Y= 1.2700
Z= -3.7672

1.82541 Inch

X= 1.0046
Y= 39.6035
Z= -3.7548

Regr. straight: —————

Form deviation: —————

Tolerance: - - - - -

Notation: **BXPM-1 CHAMBER**
Serial No.: **1**
Element: **AXI(1)**

Producer: **K. RATCLIFFE**
Part No.:

Draw. No.: **SA-380-418-34**
Department ...: **MET/QC**

Form: 0.0082
Std.Dev. (1s) : 0.0026
Tolerance Val.: 0.0000
Proj. Plane ...: XY
No. of points : 16

	Minimum	Maximum	X	Y	Z	No.
	-0.0044	0.0038	0.9552	5.2270	-3.7661	15
			0.9969	30.6296	-3.7578	6

MESSTECHNIK WETZLAR



STRAIGHTNESS
ISO 1101

Inspector : KCABAN
Date: 28-JAN-2008
Time: 10:25:26