

Actual curve : ———— Nom.Tolerance : - - - - - Act.Tolerance: - · - · -


Notation : 5M FM FIRST MAC Producer : J. POST Draw. No. : PF-451-074-04
 Ser. No. : 1 Part No. : Department: Metrology
 Element : ID_CON(2)

Diameter : 0.4064 Form : 0.0022
 X-Coord. : -0.0002 Tolerance: 0.0010
 Y-Coord. : -0.0003 Err.Magn.: 10
 Z-Coord. : -3.4908 No. Pts. : 108

Leitz
QUINDOS

ROUNDNESS
ISO 1101

Inspector.:kcaban
 Date:25-APR-2007
 Time:10:07:25



Actual curve : ———— Nom.Tolerance : - - - - - Act.Tolerance: - · - · -


Notation : 5M FM FIRST MAC Producer : J. POST Draw. No. : PF-451-074-04
 Ser. No. : 1 Part No. : Department: Metrology
 Element : ID_CON(3)

Diameter : 0.5153 Form : 0.0016
 X-Coord. : 0.0000 Tolerance: 0.0010
 Y-Coord. : -0.0002 Err.Magn.: 10
 Z-Coord. : -4.9871 No. Pts. : 153

Leitz
QUINDOS

ROUNDNESS
ISO 1101

Inspector.:kcaban
 Date:25-APR-2007
 Time:10:07:25



Actual curve : ———— Nom.Tolerance : - - - - - Act.Tolerance: - · - · - ·

Notation : 5M FM FIRST MAC Producer : J. POST Draw. No. : PF-451-074-04
 Ser. No. : 1 Part No. : Department: Metrology
 Element : ID_CON(1)

Diameter : 0.1992 Form : 0.0003
 X-Coord. : -0.0004 Tolerance: 0.0010
 Y-Coord. : -0.0001 Err.Magn.: 10
 Z-Coord. : -0.6514 No. Pts. : 38

Leitz
QUINDOS

ROUNDNESS
ISO 1101

Inspector.:kcaban
 Date:25-APR-2007
 Time:10:07:25