

Actual curve : ———— Nom.Tolerance : - - - - - Act.Tolerance: - · - · - ·


Notation : (FM II, FIRST M Producer : J. POST Draw. No. : PF-451-063-57
 Ser. No. : 1 Part No. : Department: Metrology
 Element : ID_CON(1)

Diameter : 0.8346 Form : 0.0008
 X-Coord. : 0.0024 Tolerance: 0.0010
 Y-Coord. : -0.0045 Err.Magn.: 10
 Z-Coord. : -0.6517 No. Pts. : 212



ROUNDNESS
 ISO 1101

Inspector.:kcaban
 Date:30-APR-2007
 Time:07:38:09



Actual curve : ———— Nom.Tolerance : - - - - - Act.Tolerance: - · - · - ·


Notation : (FM II, FIRST M Producer : J. POST Draw. No. : PF-451-063-57
 Ser. No. : 1 Part No. : Department: Metrology
 Element : ID_CON(2)

Diameter : 1.3187 Form : 0.0011
 X-Coord. : 0.0070 Tolerance: 0.0010
 Y-Coord. : -0.0158 Err.Magn.: 10
 Z-Coord. : -14.5060 No. Pts. : 401

Leitz
QUINDOS

ROUNDNESS
ISO 1101

Inspector.:kcaban
 Date:30-APR-2007
 Time:07:38:09



Actual curve : ———— Nom.Tolerance : - - - - - Act.Tolerance: - - - - -


Notation : (FM II, FIRST M Producer : J. POST Draw. No. : PF-451-063-57
 Ser. No. : 1 Part No. : Department: Metrology
 Element : ID_CON(3)

Diameter : 1.3896 Form : 0.0007
 X-Coord. : 0.0036 Tolerance: 0.0010
 Y-Coord. : -0.0087 Err.Magn.: 10
 Z-Coord. : -16.5053 No. Pts. : 632

Leitz
QUINDOS

ROUNDNESS
ISO 1101

Inspector.:kcaban
 Date:30-APR-2007
 Time:07:38:09



0.01256
Inch

Actual curve : ———— Nom.Tolerance : - - - - - Act.Tolerance: - - - - -

Notation : (FM II, FIRST M Producer : J. POST Draw. No. : PF-451-063-57
 Ser. No. : 1 Part No. : Department: Metrology
 Element : ID_CON(4)

Diameter : 1.4580 Form : 0.0005
 X-Coord. : 0.0005 Tolerance: 0.0010
 Y-Coord. : -0.0014 Err.Magn.: 10
 Z-Coord. : -18.4836 No. Pts. : 625

Leitz
QUINDOS

ROUNDNESS
ISO 1101

Inspector.:kcaban
 Date:30-APR-2007
 Time:07:38:09