

Chapter 27: [Asbestos](#)

Posting Requirements

Product ID: [267](#) | Revision ID: 2327 | Date published: 3 August 2021 | Date effective: 3 August 2021

URL: <https://www-group.slac.stanford.edu/esh/eshmanual/references/asbestosReqPosting.pdf>

1 Purpose

The purpose of these requirements is to ensure that personnel who perform work on buildings are aware that *asbestos containing material (ACM)* is present. They cover areas where ACM is present and apply to the asbestos program manager and area and building managers.

2 Requirements

The asbestos program manager will ensure that an asbestos warning sign is conspicuously posted on or near the main entrance(s) of any building or facility that contains ACM.

The sign must provide information about the hazards present and actions that must be taken as follows:

MATERIALS IN THIS BUILDING CONTAIN ASBESTOS FIBERS AND SHOULD NOT BE REMOVED, CUT, OR DRILLED.

Detailed information regarding the location and type of ACM should be included.

Building and area managers are responsible for informing the asbestos program manager of any proposed changes that involve ACM in the area.

See an example posting below. To view currently posted signs, see the [Asbestos Inventory](#).



Figure 1 Sample Asbestos Warning Sign

3 Forms

The following forms and systems are required by these requirements:

- [Asbestos Inventory](#). Database containing building-specific information on the presences of asbestos

4 Recordkeeping

The following recordkeeping requirements apply:

- The asbestos program manager ensures that for any building or facility that contains ACM an image of the posted sign is entered in the [Asbestos Inventory](#).

5 References

[SLAC Environment, Safety, and Health Manual](#) (SLAC-I-720-0A29Z-001)

- [Chapter 27, “Asbestos”](#)