

BL 1
mask, Filter, Be Window Assy
- 2.86 mr

8-14-03
Perry McDougall

(8) TC2002

<u>TB1</u>	<u>3</u>
- .194	+ .011
<u>12.250</u>	<u>.001</u>
12.056	<u>- .006</u> +5
11.976	
12.044 - .012	
<u>12.053</u> - 3 ✓	

F1 $\frac{1}{2}$ s
4.985

(9)

<u>0/s</u>	<u>T/B1</u>	<u>Z</u>	
4.985	- .022	+ .024	Red
<u>12 ft</u>			
16.985			
<u>16.993</u> +8			

(1) $\frac{1}{2}$ s F1

<u>Z + 30</u>
403.44
1.154
<u>4.985</u>
6.139
6.113

mask Z = 400.44 @ .00286

(2) <u>TB3</u>	(3) <u>0/s F1</u>
+ .525	42.5
405.89	442.94
1.160	1.267
<u>3.802</u>	<u>4.985</u>
4.962	6.252
4.871	6.161
<u>4.957</u>	<u>6.258</u>
- .005	+ .006 ✓

old stopper lid

(4) <u>0/s</u>	(5) <u>0/s</u>
50	77.5
450.44	477.94
1.288	1.367
<u>4.5</u>	<u>4.5</u>
5.788	5.867
<u>5.591</u>	<u>6.120</u>
- .197	+ .253

9" 50 4.5
Z
4

(6) (7) for roll

BL 1 Coffin Room

Copper Mask 1/2 of Coffin Bellows

8-14-03
Perry McDougall

HLW

574.74094

575.791

-41.341 ✓

2.575

57.750

18.984 ✓

Y	Near +	Far -	
	2.94	18.984 2.94 16.044	HI = 1/2 copper

15.044 ✓	15.044 ✓
15.130	15.180
15.140	15.160
15.060	15.080
-16 ✓	-76 ✓

OK H-T

X: 7.25 Copper, 1/2 = 3.625 ✓ Z = 518.63 @ -2.86 mr = -1.483" ✓

37.692	scribe line 1/2 from BL 1
-3.625	1/2 copper
34.067	
+ 1.483	1/2
35.550	
34.570	ft s/R ✓ -20 ✓

20
8/03

BL1 Mask Assy

9-8-03
Perry,

Y

Level

1	2	3	4
19.594	19.594	19.594	19.594
-5.720	-5.727	-5.723	-5.732
25.314	25.321	25.317	25.326
14.250	14.250	14.250	14.250
11.064	11.071	11.067	11.076
11.086	11.036		11.040
11.060	11.074		11.074
+0.004	-0.003		+0.002

SM04F5	SM05F5
574.72100	574.71843
575.791	575.791
-42.126	-42.227
57.75	57.75
3970	4.071
19.594	19.594

X

TC2002

1	2
-4.903	-4.946
4.909	4.948
-0.006	-0.002

Z

251.75 Tank 20.6" 15.3 € 1/2 tank
 -255.99 T/B 1 6.06 T/B Value
 3.45 0/2 to T/B 1
 255.20
255.215

2 A.
9-15-03