

SSRL BL 10

8/24/05
LG, FG

Y) HBL 10 N 18
 2942.324
2983.902
 -41.578 ✓

SMOTW9 75.791/m
 3019.069 2983.902"
2983.902
 +35.167 ✓

1.960
57.750
 59.710 ✓
41.578
 18.132 ✓

15.269 Wall PT.
1.750
 17.019 ✓
35.167 Rough Clock
 18.148 ✓

HI = 18.132 8/24
 18.124 8/25

2ND FIXED MASK

COMB MASK

<u>A</u>	<u>E</u>	<u>D</u>	<u>A</u>	<u>C</u>	<u>B</u>
18.132	18.132	18.132	18.132	18.132	18.132
<u>.004</u>	<u>-1.003</u>	<u>4.505</u>	<u>7.507</u>	<u>-.012</u>	<u>4.704</u>
18.128 ✓	18.135	13.627	10.625 ✓	18.144	13.428
<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>
17.128	17.135	12.627	9.625 ✓	17.144	12.428
17.130 ✓	17.138	12.625	9.617	17.136	12.420
			9.618	17.135	12.423
			∅	17.133+2	12.421+2
				7.980 ∅	R=3.99"

18.132
3.990
 s/r 14.142
 s/r 14.134

SSRL
BL 10

8-24-05
F.G., L.G.

(Z) 393.700

FLANGES

✓ 82505
m2

2W FIXED
9.200
u/s) 393.700
362.205

31.495 5/2 ✓

31.385

+1.140 ✓

9.6363
p/s) 393.700
379.382

14.318 5/2 ✓

11.8

+2.518

COMB MASH
10.1054
D/S) 393.700
397.850

4.150 5/2 ✓

4.435 ✓

+2.285 ✓

(X) + 19.685 LOS

✓ 8/25/05
mor

2ND FIXED MASK

A)
$$\begin{array}{r} 19.685 \\ + 8.100 \\ \hline 11.585 \checkmark \\ - 1. \\ \hline 10.585 \text{ s/r} \checkmark \\ 10.582 \\ \boxed{+0.003} \checkmark \end{array}$$

B)
$$\begin{array}{r} 19.685 \\ 4.490 \\ \hline 15.195 \checkmark \\ 1. \\ \hline 14.195 \text{ s/r} \checkmark \\ 14.199 \\ \boxed{-0.004} \checkmark \end{array}$$

COM B MASK

B)
$$\begin{array}{r} 19.685 \\ - 1.230 \\ \hline 20.915 \checkmark \\ 1. \\ \hline 19.915 \text{ s/r} \checkmark \\ 20.069 - 154 \\ 19.922 - 7 \\ 19.930 - 15 \\ 19.908 + 7 \\ \underline{19.914 + 1} \checkmark \end{array}$$

C)
$$\begin{array}{r} 19.685 \\ + 0.6870 \\ \hline 12.815 \checkmark \\ 1. \\ \hline 11.815 \text{ s/r} \checkmark \\ 12.150 - 335 \\ 11.791 + 24 \\ 11.810 + 5 \\ 11.781 + 34 \\ 11.823 - 8 \\ 11.817 - 2 \\ \underline{11.816 - 1} \checkmark \end{array}$$

D)
$$\begin{array}{r} 19.685 \\ - 1.263 \\ \hline 18.422 \checkmark \\ 1. \\ \hline 17.422 \text{ s/r} \checkmark \end{array}$$

D(SFL)
$$\begin{array}{r} 19.685 \\ 3.990 \text{ R} \\ \hline 15.695 \text{ s/r} \end{array}$$