


SSRL BL 4 SHIELD WALL COLLIMATOR



	X	Y	Z
1	+8.132	+0.055	464.492
2	+5.521	+0.038	486.520
3	-8.113	+0.005	464.507
4	-5.492	+0.044	486.483

SSRL

BL 4 SHIELD WALL COLLIMATOR LAB DATA

LG, Jmc
S-10-07

Y

$$\begin{array}{r} 1.716 \text{ READ} \\ 6.625 \text{ R} \\ \hline + 8.341 \text{ HI} \end{array}$$

Roll U/S
(-) 7.342 (+) 7.342

1) 7.396

$$\begin{array}{r} 1.000 \\ \hline 8.396 \\ - 8.341 \\ \hline \boxed{+0.055} \end{array}$$

2) 7.303

$$\begin{array}{r} 1.000 \\ \hline 8.303 \\ - 8.341 \\ \hline \boxed{+0.038} \end{array}$$

3) 7.336

$$\begin{array}{r} 1.000 \\ \hline 8.336 \\ - 8.341 \\ \hline \boxed{+0.005} \end{array}$$

4) 7.297

$$\begin{array}{r} 1.000 \\ \hline 8.297 \\ - 8.341 \\ \hline \boxed{+0.044} \end{array}$$

X

$$\begin{array}{r} 14.957 \text{ READ} \\ 6.625 \text{ READ} \\ \hline + 21.582 \text{ LOS} \end{array}$$

1) 12.450

$$\begin{array}{r} 1.000 \\ \hline 13.450 \\ - 21.582 \\ \hline \boxed{+8.132} \end{array}$$

2) 15.061

$$\begin{array}{r} 1.000 \\ \hline 16.061 \\ - 21.582 \\ \hline \boxed{+5.521} \end{array}$$

3) 16.745 (1-3)

$$\begin{array}{r} 1.500 \\ \hline 16.245 \\ - 8.132 \\ \hline \boxed{-8.113} \end{array}$$

4) 11.513 (2-4)

$$\begin{array}{r} 1.500 \\ \hline 11.013 \\ - 5.521 \\ \hline \boxed{-5.492} \end{array}$$

Z

$$\begin{array}{r} 8.360 \\ 35.000 \text{ NO FT.} \\ \hline 43.360 \\ 463.937 (11.784\text{M}) \\ \hline 507.297 \text{ LOS} \end{array}$$

1) 6.805

$$\begin{array}{r} 36.000 \text{ 35+1} \\ \hline - 42.805 \\ 507.297 \\ \hline \boxed{464.492} \end{array}$$

2) 9.900

$$\begin{array}{r} 10.877 \\ \hline - 20.777 \\ 507.297 \\ \hline \boxed{486.520} \end{array}$$

3) 6.790

$$\begin{array}{r} 36.000 \\ \hline - 42.790 \\ 507.297 \\ \hline \boxed{464.507} \end{array}$$

4) 9.937

$$\begin{array}{r} 10.877 \\ \hline - 20.814 \\ 507.297 \\ \hline \boxed{486.483} \end{array}$$