


SSRL
BL 8 BPM TARGET TANK

9-5-06



BEAM \rightarrow

	X	Y	Z
1	+6.487	0	+2.080
2	+6.500	-.006	+12.340
3	-.019	+4.505	+2.087
4	-.009	+4.505	

BL 8 BPM TARGET TANK
FIELD #'S

Job Description:

Report Units: inches, milliradians

Job File: C:\Faro\Insight\SSRL\BL 08\BL08 BPM Target Tank.SMX

Job Date: Tuesday, September 12, 2006 10:12:29 AM

Report Frame: PART

@STATION01			
PART	0.000	0.000	0.000
	0.000	0.000	0.000
US Flange	-4.550	0.000	518.720
1	1.919	0.000	520.857
2	1.841	-0.006	531.117
3	-4.587	4.505	520.807
4	-4.667	4.505	531.059
Frame001			

SSRL
BL 8 BPM TARGET TANK

8-29-06
J.M., L.G.

(X) 4.368 10"
.943 ENT.

15.000
18.367
12.500
16.060
14.249 S/R
17.674 S/R
+ 18.617 LOS

1
A) 11.130
1.000

12.130
18.617

+6.487

2
B) 11.117
1.000

12.117
18.617

+6.500

3
C) 17.636
1.000

18.636
18.617

-.019

4
D) 17.626
1.000

18.626
18.617

-.009

SSRL

BL 8 BPM TARGET TANK

8-29-06


J.M., L. Gr

Y

Pitch & Roll on 10" FLANGE

ENT. FL. 1.885 INSECT
10" FL 8.735 INSECT

11.760



15.147

- .943 RAD

- 16.090 HI

1) A) 15.090

1.000

- 16.090

- 16.090

⊕

2) B) 15.084

1.000

- 16.084

- 16.090

- .006

3) C) 9.718

10.877

- 20.595

- 16.090

+4.505

4) D) 9.718

10.877

- 20.595

- 16.090

+4.505

SSRL
BL & BPM TARGET TANK

8-29-06
J.M., L.G.

(7)

FACE OF U/S FL
-8.995 LOS

3-4

1	2	3	4
A) 10.075	B) 20.335	C) 10.082	D)
1.000	1.000	1.000	
11.075	21.335	11.082	
-8.995	-8.995	-8.995	
+2.080	+12.340	+2.087	

BPM TARGET TANK

Job Description:

Report Units: inches, milliradians

Job File: C:\Faro\Insight\BL08 BPM Target Tank.SMX

Job Date: Tuesday, September 12, 2006 10:12:29 AM

Report Frame: PART

US Flange	-4.550	0.000	518.720
1	1.919	0.000	520.857
2	1.841	-0.006	531.117
3	-4.587	4.505	520.807
4	-4.667	4.505	531.059

Do NOT USE FOR

X

Report Date: Tuesday, September 12, 2006 11:16:32 AM

FARO Insight 5.0.5

Page 1