


SCANNED

SSRL SLIT RT6



* USE SHORT ARM *

TB	X	Y	Z
A	-1.976	-8.749	+0.080
B	+0.021	-15.291	-1.855
C	-2.026	-15.234	+1.163
D	-0.016	-15.215	+2.203

BL 4-3 ASSEMBLY INSTALLED ON BL 9-3

THIS IS NOW 9-3

AT 6

ALIGN SLIT IN CLEAN ROOM



Copper Block 1.904

FG
JM
19-30-4
MP

F VALUE .952
N VALUE .952

SCANNED

F 18.604
N 18.484
F 17.300
N 17.255

F 16.518 16.523

~~LOS 17.470~~

SR 16.596
LOS 17.548

	<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>
Rd	8.647	6.650	8.697	6.687
Ft	10.877	10.877	10.877	10.877
	19.524 ✓	17.527 ✓	19.574 ✓	17.564 ✓
LOS	17.548	17.548	17.548	17.548
Val	1.976 ✓	-.021 ✓	2.026 ✓	.016 ✓



55RL
RT6 Slit

D/S +.030

s/R .590 ✓

FG
JMc
MP
7-29-04

8.972 Ref

+ .030
9.002 HI
29.138 Tall Gun
20.136 = HI

SCANNED

A

10.387
1

11.387
20.136

8.749 ✓

B

3.845
1.

4.845
20.136

15.291 ✓

C

3.902
1.

4.902
20.136

15.234 ✓

D

3.921
1.

4.921
20.136

15.215 ✓

RT 6 Slit



$$\begin{array}{r} 17.218 \\ 1.490 \\ \hline 18.708 \end{array} + LOS$$

F6
JMc
MP
7-30-04

SCANNED

<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>
17.628		17.545	15.505
<u>1</u>	4.058	1	1
18.628	2.203	18.545	16.505
18.708		18.708	18.708
.080 ✓	-1.855 ✓	.163 ✓	2.203 ✓