


SSRL

SLIT

RBC

SCANNED



\* SHORT ARM \*

**BL 4-3 ASSEMBLY INSTALLED ON BL 9-3**

TB	X	Y	Z
A	-2.061	+8.731	+1.062
B	-.131	+15.229	+2.196
C	-2.177	+15.213	+1.172
D	-.167	+15.280	-1.062

**THIS IS NOW 9-3**

(X)

Far V .952  
 N .952  
 1st F 18.416  
   N 18.356  
 2nd F 19.500  
   N 19.374  
 S/R 17.431  
 LOS 18.383 ✓

Check  
 7-30-04

SCANNED

FG  
 JMc  
 MP  
 7-30-04

A  
 15.322  
 1  
 16.322  
 18.383  
 -2.061 ✓

B  
 17.252  
 1  
 18.252  
 18.383  
 -.131 ✓

C  
 15.206  
 1  
 16.206  
 18.383  
 -2.177 ✓

D  
 17.216  
 1  
 18.216  
 18.383  
 -.167 ✓

Correct signs for Bottom Slit

+2.061

+.131

+2.177

+.167

Y

check 7-30-04  
JM

RBL

FG  
JMc  
MP  
7-30-04

p/s .045

.605

.606

.045

8.970

9.015 B/L

29.139

20.124 = HI

SCANNED

A  
10.393

B  
3.895

C  
3.911

D  
3.844

1  
11.393

1  
4.895

1  
4.911

1  
4.844

20.124

20.124

20.124

20.124

8.731

15.229

15.213

15.280

Correct signs

- 8.731

- 15.229

- 15.213

- 15.280

7

14.740 Rd  
1.490 Ft + Rad  
16.230 LOS

Check 7-30-04  
JM

FG  
JMc  
MP  
7-30-04

SCANNED

A  
15.168

16.168

16.230

.062

B  
13.034

14.034

16.230

2.196

C  
15.058

16.058

16.230

.172

D  
2.196

4.058 Col.

-1.862