


SSRL B/L 10-1  
ENTRANCE SLIT

1-12-05



	X	Y	Z
1	+4.783	+1.957	- .002
2	+4.795	+ .023	-1.943
3	+4.800	-1.920	- .007
4	+1.987	+4.010	+1.996
5	-2.013	+3.992	-2.002
6	-3.983	-2.021	+1.493

SSRL B/L 10-1  
ENTRANCE SLIT  
(REDO)

1-12-05  
J.M., L.G

(X)

D/S) 2.997 1/2 BLOCK

check  
on

W/S) 2.997

29,000

29,012

32,000

31,825

29,193 s/n

29,193

+ 32,190 LOS

$$\begin{array}{r} 1) \ 26.407 \\ \underline{1.000} \\ 27.407 \\ 32,190 \\ \hline +4.783 \end{array}$$

$$\begin{array}{r} 2) \ 26.395 \\ \underline{1.000} \\ 27.395 \\ 32,190 \\ \hline +4.795 \end{array}$$

$$\begin{array}{r} 3) \ 26.390 \\ \underline{1.000} \\ 27.390 \\ 32,190 \\ \hline +4.800 \end{array}$$

$$\begin{array}{r} 4) \ 29.203 \\ \underline{1.000} \\ 30.203 \\ 32,190 \\ \hline +1.987 \end{array}$$

$$\begin{array}{r} 5) \ 33.203 \\ \underline{1.000} \\ 34.203 \\ 32,190 \\ \hline -2.013 \end{array}$$

$$\begin{array}{r} 6) \ 18.554 \\ \underline{17.619} \\ 36.173 \\ 32,190 \\ \hline -3.983 \end{array}$$

Y

# SSRL B/L 10-1 ENTRANCE SLIT (REDO)

1-12-05  
J.M.C., L.G.

12.048 Top of TABLE

4.630  $\phi$

+7.418 HI

A

check  
on



## TOP CORNERS

A) 
$$\begin{array}{r} 7.418 \\ 2.997 \text{ } \frac{1}{2} \text{ block} \\ \hline 4.421 \text{ S/R} \\ 4.426 \\ \hline -0.005 \end{array}$$

B) 
$$\begin{array}{r} 4.421 \text{ S/R} \\ 4.426 \\ \hline -0.005 \end{array}$$

C) 
$$\begin{array}{r} 4.421 \text{ S/R} \\ 4.426 \\ \hline -0.005 \end{array}$$

$$\begin{array}{r} 4.630 \\ 67.005 \\ \hline 4.625 \phi \end{array}$$

Roll on SLIT

(+) 
$$\begin{array}{r} +1.004 \text{ hand} \\ -0.024 \end{array}$$

T +1.011 hand  
B -0.016

-0.028 HI @ SLITS

4.625 REF

4.653  $\phi$

12.048

+7.395 HI

(-) SET 
$$\begin{array}{r} +0.041 \\ +0.015 \\ \hline 0.026 \end{array}$$

(-) 
$$\begin{array}{r} +0.041 \text{ TOP} \\ +0.015 \text{ BOT} \end{array}$$

HI = +0.028

1) 
$$\begin{array}{r} 4.438 \\ 1.000 \\ \hline 5.438 \\ 7.395 \\ \hline +1.957 \end{array}$$

2) 
$$\begin{array}{r} 6.372 \\ 1.000 \\ \hline 7.372 \\ 7.395 \\ \hline +0.023 \end{array}$$

3) 
$$\begin{array}{r} 2.415 \\ 6.900 \\ \hline 9.315 \\ 7.395 \\ \hline -1.920 \end{array}$$

4) 
$$\begin{array}{r} 2.385 \\ 1.000 \\ \hline 3.385 \\ 7.395 \\ \hline +4.010 \end{array}$$

5) 
$$\begin{array}{r} 2.403 \\ 1.000 \\ \hline 3.403 \\ 7.395 \\ \hline +3.992 \end{array}$$

6) 
$$\begin{array}{r} 8.416 \\ 1.000 \\ \hline 9.416 \\ 7.395 \\ \hline -2.021 \end{array}$$

SSRL B/L 10-1  
ENTRANCE SLIT  
(REDO)

1-12-05  
J.M.P., L.G.

(E)

$$\begin{array}{r} 9.516 \\ 2.997 \frac{1}{2} \text{ BLACK} \\ \hline + 12.513 \text{ LOS} \end{array}$$

$$\begin{array}{r} 1) \ 11.515 \\ 1.000 \\ \hline 12.515 \\ 12.513 \end{array}$$

$$\boxed{-1.002}$$

$$\begin{array}{r} 2) \ 13.456 \\ 1.000 \\ \hline 14.456 \\ 12.513 \end{array}$$

$$\boxed{-1.943}$$

$$\begin{array}{r} 3) \ 11.520 \\ 1.000 \\ \hline 12.520 \\ 12.513 \end{array}$$

$$\boxed{-.007}$$

$$\begin{array}{r} 4) \ 9.517 \\ 1.000 \\ \hline 10.517 \\ 12.513 \end{array}$$

$$\boxed{+1.996}$$

$$\begin{array}{r} 5) \ 13.515 \\ 1.000 \\ \hline 14.515 \\ 12.513 \end{array}$$

$$\boxed{-2.002}$$

$$\begin{array}{r} 6) \ 10.020 \\ 1.000 \\ \hline 11.020 \\ 12.513 \end{array}$$

$$\boxed{+1.493}$$