


Minimum Effective Gap = 9.977

Y Value Scales Centered on Mean Values
 Step Between Measured Pole Tips = 60

Regression Line Through Points = -----
 Dimensions in mm

	LCLS II - SXR Undulator		31-JUL-2019
	Nominal Gap = 10	Nominal Taper = 0.000	S/N = 001
	Gap Reading = 0.0000	US Encoder = 0.0000	D/S = 0007
		DS Encoder = 0.0000	Run = 15



Step Between Measured Pole Tips = 60


Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 10 Nominal Taper = 0.000
 Gap Reading = 0.0000 US Encoder = 0.0000 DS Encoder = 0.0000

31-JUL-2019
 S/N = 001
 D/S = 0007
 Run = 15



Mean Symmetry Value = 0.0058

Step Between Measured Pole Tips = 60

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 10 Nominal Taper = 0.000
 Gap Reading = 0.0000 US Encoder = 0.0000 DS Encoder = 0.0000

31-JUL-2019
 S/N = 001
 D/S = 0007
 Run = 15

Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
Top	5.0065	5.0099	5.0185	5.0220
Bottom	-5.0135	-5.0074	-4.9919	-4.9857
Gap	10.0199			10.0076
Taper				-0.0123

Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
5.0131	-5.0015	10.0146	0.0058

Additional Calculated Values

Bottom Pole #1 Z Value	980.086
Top Jaw Pitch (mrad)	0.005
Bottom Jaw Pitch(mrad)	0.008
Minimum Effective Gap	9.977
Reference Block Gap	6.805

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 10 Nominal Taper = 0.000
 Gap Reading = 0.0000 US Encoder = 0.0000 DS Encoder = 0.0000

31-JUL-2019
 S/N = 001
 D/S = 0007
 Run = 15