

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 60

Regression Line Through Points = -----

Dimensions in mm




## LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 0.0000      US Encoder = 0.0000      DS Encoder = 0.0000

31-JUL-2019  
 S/N = 001  
 D/S = 0007  
 Run = 21

# Gap Between Opposing Pole Tips



Step Between Measured Pole Tips = 60

Dimensions in mm




## LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 0.0000      US Encoder = 0.0000      DS Encoder = 0.0000

31-JUL-2019  
 S/N = 001  
 D/S = 0007  
 Run = 21

### Symmetry Point Between Pole Tips



Mean Symmetry Value = 0.5017

Step Between Measured Pole Tips = 60

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 0.0000      US Encoder = 0.0000      DS Encoder = 0.0000

31-JUL-2019  
 S/N = 001  
 D/S = 0007  
 Run = 21

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
<b>Top</b>	5.7579	5.7576	5.7569	5.7567
<b>Bottom</b>	-4.7611	-4.7593	-4.7546	-4.7527
<b>Gap</b>	10.5190			10.5094
<b>Taper</b>				-0.0096

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
5.7589	-4.7554	10.5143	0.5017

## Additional Calculated Values

<b>Bottom Pole #1 Z Value</b>	<b>980.086</b>
<b>Top Jaw Pitch (mrad)</b>	<b>0.000</b>
<b>Bottom Jaw Pitch(mrad)</b>	<b>0.002</b>
<b>Minimum Effective Gap</b>	<b>10.488</b>
<b>Reference Block Gap</b>	<b>6.805</b>

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10                      Nominal Taper = 0.000  
 Gap Reading = 0.0000              US Encoder = 0.0000              DS Encoder = 0.0000

31-JUL-2019  
 S/N = 001  
 D/S = 0007  
 Run = 21