



Top Jaw Pole Tips



Pole Tip Num. ---->

Bottom Jaw Pole Tips



Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 5

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 10

Gap Reading = 10.00005 US Encoder = 10.00005 DS Encoder = 10.00005


12-SEP-2017

S/N = 003

D/S = 01

Run = 08

Gap Between Pole Tips




Step Between Measured Pole Tips = 5

Dimensions in mm

	<p>LCLS II - SXR Undulator</p> <p>Nominal Gap = 10</p> <p>Gap Reading = 10.00005 US Encoder = 10.00005 DS Encoder = 10.00005</p>	<p>12-SEP-2017</p> <p>S/N = 003</p> <p>D/S= 01</p> <p>Run= 08</p>
---	---	---

Symmetry Point Between Pole Tips



Mean Symmetry Value = -1.6612

Step Between Measured Pole Tips = 5

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 10

Gap Reading = 10.00005 US Encoder = 10.00005 DS Encoder = 10.00005

12-SEP-2017

S/N = 003

D/S = 01

Run = 08