



### Top Jaw Pole Tips



### Bottom Jaw Pole Tips



Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 5

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 10

Gap Reading = 9.9996

US Encoder = 9.9996

DS Encoder = 9.9996


13-SEP-2017

S/N = 003

D/S = 01

Run = 12

### Gap Between Pole Tips




Step Between Measured Pole Tips = 5

Dimensions in mm

	<h2>LCLS II - SXR Undulator</h2> <p>Nominal Gap = 10</p> <p>Gap Reading = 9.9996      US Encoder = 9.9996      DS Encoder = 9.9996</p>	<p>13-SEP-2017                  S/N = 003                  D/S = 01                  Run = 12</p>
-------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------

### Symmetry Point Between Pole Tips



Mean Symmetry Value = -1.6351

Step Between Measured Pole Tips = 5

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10

Gap Reading = 9.9996

US Encoder = 9.9996

DS Encoder = 9.9996

13-SEP-2017

S/N = 003

D/S = 01

Run = 12