

Y Value Scales Centered on Mean Values  
 Step Between Measured Pole Tips = 5

Regression Line Through Points = -----  
 Dimensions in mm




## LCLS II - SXR Undulator

Nominal Gap = 10

Gap Reading = 10.00003    US Encoder = 10.00005    DS Encoder = 10

13-SEP-2017  
 S/N = 003  
 D/S = 01  
 Run = 23

### Gap Between Pole Tips




Step Between Measured Pole Tips = 5

Dimensions in mm

	<p><b>LCLS II - SXR Undulator</b></p> <p>Nominal Gap = 10</p> <p>Gap Reading = 10.00003    US Encoder = 10.00005    DS Encoder = 10</p>	<p>13-SEP-2017</p> <p>S/N = 003</p> <p>D/S = 01</p> <p>Run = 23</p>
---	---	---

### Symmetry Point Between Pole Tips



Mean Symmetry Value = -1.6528

Step Between Measured Pole Tips = 5

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10

Gap Reading = 10.00003 US Encoder = 10.00005 DS Encoder = 10

13-SEP-2017

S/N = 003

D/S = 01

Run = 23

Top and Bottom Jaw  
Regression Line Intersect Points

<b>Jaw</b>	<b>First Pole</b>	<b>US Actuator</b>	<b>DS Actuator</b>	<b>Last Pole</b>
<b>Top</b>	<b>3.373</b>	<b>3.374</b>	<b>3.377</b>	<b>3.379</b>
<b>Bottom</b>	<b>-6.684</b>	<b>-6.683</b>	<b>-6.680</b>	<b>-6.678</b>

Step Between Measured Pole Tips = 5

Dimensions in mm



**LCLS II - SXR Undulator**

Nominal Gap = 10

Gap Reading = 10.00003 US Encoder = 10.00005 DS Encoder = 10

13-SEP-2017  
S/N = 003  
D/S= 01  
Run= 23