


Y Value Scales Centered on Mean Values
 Step Between Measured Pole Tips = 5

Regression Line Through Points = -----
 Dimensions in mm

	<h2 style="margin: 0;">LCLS II - SXR Undulator</h2> <p style="margin: 0;">Nominal Gap = 10</p> <p style="margin: 0;">Gap Reading = 10.00000 US Encoder = 10.00000 DS Encoder = 10.00000</p>	<p style="margin: 0;">25-SEP-2017</p> <p style="margin: 0;">S/N = 003</p> <p style="margin: 0;">D/S= 0001</p> <p style="margin: 0;">Run= 35</p>
---	---	---

Gap Between Pole Tips



Step Between Measured Pole Tips = 5

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 10

Gap Reading = 10.00000 US Encoder = 10.00000 DS Encoder = 10.00000


25-SEP-2017

S/N = 003

D/S = 0001

Run = 35

Symmetry Point Between Pole Tips



Mean Symmetry Value = -0.7390

Step Between Measured Pole Tips = 5

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 10

Gap Reading = 10.00000 US Encoder = 10.00000 DS Encoder = 10.00000

25-SEP-2017

S/N = 003

D/S = 0001

Run = 35

Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
Top	4.2848	4.2834	4.2797	4.2783
Bottom	-5.7546	-5.7568	-5.7624	-5.7646

Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
4.2816	-5.7595	10.0411	-0.7390

Step Between Measured Pole Tips = 5

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 10

Gap Reading = 10.00000 US Encoder = 10.00000 DS Encoder = 10.00000

25-SEP-2017
S/N = 003
D/S= 0001
Run= 35