

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 7

Regression Line Through Points =

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 15

Gap Reading = 15.00050 US Encoder = 15.00060 DS Encoder = 15.00040


26-SEP-2017

S/N = 003

D/S = 0001

Run = 11

Gap Between Pole Tips



Step Between Measured Pole Tips = 7

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 15

Gap Reading = 15.00050 US Encoder = 15.00060 DS Encoder = 15.00040


26-SEP-2017

S/N = 003

D/S = 0001

Run = 11

Symmetry Point Between Pole Tips



Mean Symmetry Value = -0.6836

Step Between Measured Pole Tips = 7

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 15

Gap Reading = 15.00050 US Encoder = 15.00060 DS Encoder = 15.00040

26-SEP-2017

S/N = 003

D/S = 0001

Run = 11

Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
Top	6.8195	6.8192	6.8183	6.8180
Bottom	-8.1828	-8.1843	-8.1879	-8.1894

Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
6.8188	-8.1860	15.0048	-0.6836

Step Between Measured Pole Tips = 7

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 15

Gap Reading = 15.00050 US Encoder = 15.00060 DS Encoder = 15.00040

26-SEP-2017
S/N = 003
D/S= 0001
Run= 11