

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 7

Regression Line Through Points =

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 25

Gap Reading = 25.00000 US Encoder = 25.00000 DS Encoder = 25.00000


29-SEP-2017

S/N = 003

D/S = 0001

Run = 19

# Gap Between Pole Tips



Step Between Measured Pole Tips = 7

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 25

Gap Reading = 25.00000 US Encoder = 25.00000 DS Encoder = 25.00000


29-SEP-2017

S/N = 003

D/S = 0001

Run = 19

### Symmetry Point Between Pole Tips



Mean Symmetry Value = -0.6820

Step Between Measured Pole Tips = 7

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 25

Gap Reading = 25.00000 US Encoder = 25.00000 DS Encoder = 25.00000

29-SEP-2017

S/N = 003

D/S = 0001

Run = 19

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
Top	11.8327	11.8299	11.8227	11.8197
Bottom	-13.2048	-13.1983	-13.1819	-13.1753

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
11.8264	-13.1905	25.0169	-0.6820

Step Between Measured Pole Tips = 7

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 25

Gap Reading = 25.00000    US Encoder = 25.00000    DS Encoder = 25.00000

29-SEP-2017  
S/N = 003  
D/S= 0001  
Run= 19