

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 5

Regression Line Through Points =

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 50

Gap Reading = 50.00000 US Encoder = 50.00000 DS Encoder = 50.00000


14-SEP-2017

S/N = 003

D/S = 01

Run = 30

### Gap Between Pole Tips




Step Between Measured Pole Tips = 5

Dimensions in mm

	<p><b>LCLS II - SXR Undulator</b></p> <p>Nominal Gap = 50</p> <p>Gap Reading = 50.00000    US Encoder = 50.00000    DS Encoder = 50.00000</p>	<p>14-SEP-2017</p> <p>S/N = 003</p> <p>D/S = 01</p> <p>Run = 30</p>
---	---	---

### Symmetry Point Between Pole Tips



Mean Symmetry Value = -1.6936

Step Between Measured Pole Tips = 5

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 50

Gap Reading = 50.00000 US Encoder = 50.00000 DS Encoder = 50.00000

14-SEP-2017  
 S/N = 003  
 D/S = 01  
 Run = 30

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
Top	23.3424	23.3389	23.3300	23.3264
Bottom	-26.7074	-26.7138	-26.7302	-26.7368

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
23.3345	-26.7218	50.0564	-1.6936

Step Between Measured Pole Tips = 5

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 50

Gap Reading = 50.00000    US Encoder = 50.00000    DS Encoder = 50.00000

14-SEP-2017  
S/N = 003  
D/S= 01  
Run= 30