

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 1

Regression Line Through Points =

Dimensions in mm



# LCLS II - SXR Undulator

Nominal Gap = 10

Gap Reading = 0.00000

US Encoder = 10.00000


DS Encoder = 0.00000

04-DEC-2017

S/N = 004

D/S = 0001

Run = 66



Step Between Measured Pole Tips = 1

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 10

Gap Reading = 0.00000    US Encoder = 10.00000    DS Encoder = 0.00000

04-DEC-2017

S/N = 004

D/S = 0001

Run = 66

# Symmetry Point Between Pole Tips



Mean Symmetry Value = -0.8190

Step Between Measured Pole Tips = 1

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 10

Gap Reading = 0.00000 US Encoder = 10.00000 DS Encoder = 0.00000

04-DEC-2017  
S/N = 004  
D/S = 0001  
Run = 66

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
Top	4.1798	4.1807	4.1830	4.1839
Bottom	-5.8147	-5.8170	-5.8227	-5.8250

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
4.1818	-5.8199	10.0017	-0.8190

## Outside Pole Ends to Ref. Block on Kugler Bench Points Measured with Gap at 10mm during Datuming Procedure

Jaw	Pole #1	Pole #174	Average
Top			
Bottom			
Ave. of Jaws			

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10

Gap Reading = 0.00000    US Encoder = 10.00000    DS Encoder = 0.00000

04-DEC-2017  
S/N = 004  
D/S = 0001  
Run = 66