


Minimum Effective Gap = 11.974

Y Value Scales Centered on Mean Values
 Step Between Measured Pole Tips = 5

Regression Line Through Points = -----
 Dimensions in mm

	<h2 style="margin: 0;">LCLS II - SXR Undulator</h2> <p style="margin: 0;">Nominal Gap = 12</p> <p style="margin: 0;">Gap Reading = 12.0000 US Encoder = 12.0000 DS Encoder = 12.0001</p>	<p style="margin: 0;">05-FEB-2018</p> <p style="margin: 0;">S/N = 005</p> <p style="margin: 0;">D/S = 0001</p> <p style="margin: 0;">Run = 06</p>
---	--	---

Gap Between Opposing Pole Tips



Step Between Measured Pole Tips = 5

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 12

Gap Reading = 12.0000 US Encoder = 12.0000 DS Encoder = 12.0001


05-FEB-2018

S/N = 005

D/S = 0001

Run = 06

Symmetry Point Between Pole Tips



Mean Symmetry Value = 0.2014

Step Between Measured Pole Tips = 5

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 12

Gap Reading = 12.0000 US Encoder = 12.0000 DS Encoder = 12.0001

05-FEB-2018
 S/N = 005
 D/S = 0001
 Run = 06

Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
Top	6.2013	6.2029	6.2070	6.2087
Bottom	-5.8062	-5.8044	-5.7998	-5.7979

Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
6.2048	-5.8019	12.0067	0.2014

Additional Calculated Values

Bottom Pole #1 Z Value	979.331
Top Jaw Pitch (mrad)	0.002
Bottom Jaw Pitch(mrad)	0.002
Minimum Effective Gap	11.974
Reference Block Gap	6.808

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 12

Gap Reading = 12.0000 US Encoder = 12.0000 DS Encoder = 12.0001

05-FEB-2018

S/N = 005

D/S= 0001

Run= 06