

Minimum Effective Gap = 12.995

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 11

Regression Line Through Points = -----

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 13      Nominal Taper = 0.000  
 Gap Reading = 13.0001      US Encoder = 13.0001      DS Encoder = 13.0001


07-JUN-2018

S/N = 011

D/S = 0001

Run = 9

### Gap Between Opposing Pole Tips



Step Between Measured Pole Tips = 11

Dimensions in mm




### LCLS II - SXR Undulator

Nominal Gap = 13      Nominal Taper = 0.000  
 Gap Reading = 13.0001      US Encoder = 13.0001      DS Encoder = 13.0001

07-JUN-2018  
 S/N = 011  
 D/S = 0001  
 Run = 9

### Symmetry Point Between Pole Tips



Mean Symmetry Value = 0.0352

Step Between Measured Pole Tips = 11

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 13      Nominal Taper = 0.000  
 Gap Reading = 13.0001      US Encoder = 13.0001      DS Encoder = 13.0001

07-JUN-2018  
 S/N = 011  
 D/S = 0001  
 Run = 9

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
<b>Top</b>	6.5451	6.5444	6.5427	6.5420
<b>Bottom</b>	-6.4712	-6.4719	-6.4735	-6.4741
<b>Gap</b>	13.0163			13.0161
<b>Taper</b>				-0.0002

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
6.5432	-6.4729	13.0161	0.0352

## Additional Calculated Values

<b>Bottom Pole #1 Z Value</b>	<b>979.744</b>
<b>Top Jaw Pitch (mrad)</b>	<b>-0.001</b>
<b>Bottom Jaw Pitch(mrad)</b>	<b>-0.001</b>
<b>Minimum Effective Gap</b>	<b>12.995</b>
<b>Reference Block Gap</b>	<b>6.806</b>

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 13      Nominal Taper = 0.000  
 Gap Reading = 13.0001      US Encoder = 13.0001      DS Encoder = 13.0001

07-JUN-2018  
 S/N = 011  
 D/S= 0001  
 Run= 9