

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 11

Regression Line Through Points = -----

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 9

Nominal Taper = 0.000

Gap Reading = 9.0000

US Encoder = 9.0000

DS Encoder = 9.0000


07-JUN-2018

S/N = 011

D/S = 0001

Run = 4

### Gap Between Opposing Pole Tips



Step Between Measured Pole Tips = 11

Dimensions in mm




### LCLS II - SXR Undulator

Nominal Gap = 9      Nominal Taper = 0.000  
 Gap Reading = 9.0000      US Encoder = 9.0000      DS Encoder = 9.0000

07-JUN-2018  
 S/N = 011  
 D/S = 0001  
 Run = 4

### Symmetry Point Between Pole Tips



Mean Symmetry Value = 0.0173

Step Between Measured Pole Tips = 11

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 9      Nominal Taper = 0.000  
 Gap Reading = 9.0000      US Encoder = 9.0000      DS Encoder = 9.0000

07-JUN-2018  
 S/N = 011  
 D/S = 0001  
 Run = 4

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
<b>Top</b>	4.5214	4.5206	4.5188	4.5181
<b>Bottom</b>	-4.4863	-4.4855	-4.4833	-4.4824
<b>Gap</b>	9.0077			9.0005
<b>Taper</b>				-0.0072

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
4.5191	-4.4844	9.0034	0.0173

## Additional Calculated Values

<b>Bottom Pole #1 Z Value</b>	<b>979.744</b>
<b>Top Jaw Pitch (mrad)</b>	<b>-0.001</b>
<b>Bottom Jaw Pitch(mrad)</b>	<b>0.001</b>
<b>Minimum Effective Gap</b>	<b>8.983</b>
<b>Reference Block Gap</b>	<b>6.806</b>

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 9                      Nominal Taper = 0.000  
 Gap Reading = 9.0000      US Encoder = 9.0000      DS Encoder = 9.0000

07-JUN-2018  
 S/N = 011  
 D/S= 0001  
 Run= 4