

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 1

Regression Line Through Points =

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.100  
Gap Reading = 10.0500      US Encoder = 10.0000      DS Encoder = 10.1001


19-OCT-2018

S/N = 015

D/S = 0001

Run = 10

### Gap Between Opposing Pole Tips



Step Between Measured Pole Tips = 1

Dimensions in mm




### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.100  
 Gap Reading = 10.0500      US Encoder = 10.0000      DS Encoder = 10.1001

19-OCT-2018  
 S/N = 015  
 D/S = 0001  
 Run = 10

### Symmetry Point Between Pole Tips



Mean Symmetry Value = 0.0676

Step Between Measured Pole Tips = 1

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.100  
 Gap Reading = 10.0500      US Encoder = 10.0000      DS Encoder = 10.1001

19-OCT-2018  
 S/N = 015  
 D/S = 0001  
 Run = 10

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
<b>Top</b>	5.0750	5.0842	5.1074	5.1168
<b>Bottom</b>	-4.9338	-4.9456	-4.9754	-4.9875
<b>Gap</b>	10.0089			10.1043
<b>Taper</b>				0.0955

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
5.0959	-4.9607	10.0566	0.0676

## Additional Calculated Values

<b>Bottom Pole #1 Z Value</b>	<b>980.397</b>
<b>Top Jaw Pitch (mrad)</b>	<b>0.012</b>
<b>Bottom Jaw Pitch(mrad)</b>	<b>-0.016</b>
<b>Minimum Effective Gap</b>	<b>9.991</b>
<b>Reference Block Gap</b>	<b>6.806</b>

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10                      Nominal Taper = 0.100  
 Gap Reading = 10.0500      US Encoder = 10.0000      DS Encoder = 10.1001

19-OCT-2018  
 S/N = 015  
 D/S= 0001  
 Run= 10