

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 1

Regression Line Through Points =

Dimensions in mm




LCLS II - SXR Undulator

Nominal Gap = 10 Nominal Taper = 0.000
 Gap Reading = 10.0000 US Encoder = 10.0000 DS Encoder = 10.0000

02-OCT-2018

S/N = 015
 D/S = 0001
 Run = 5

Gap Between Opposing Pole Tips



Step Between Measured Pole Tips = 1


Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 10 Nominal Taper = 0.000
 Gap Reading = 10.0000 US Encoder = 10.0000 DS Encoder = 10.0000

02-OCT-2018
 S/N = 015
 D/S = 0001
 Run = 5



Mean Symmetry Value = 0.1299

Step Between Measured Pole Tips = 1

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 10 Nominal Taper = 0.000
 Gap Reading = 10.0000 US Encoder = 10.0000 DS Encoder = 10.0000

02-OCT-2018
 S/N = 015
 D/S = 0001
 Run = 5

Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
Top	5.1265	5.1282	5.1324	5.1341
Bottom	-4.8753	-4.8732	-4.8677	-4.8655
Gap	10.0019			9.9996
Taper				-0.0023

Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
5.1303	-4.8704	10.0007	0.1299

Additional Calculated Values

Bottom Pole #1 Z Value	980.409
Top Jaw Pitch (mrad)	0.002
Bottom Jaw Pitch(mrad)	0.003
Minimum Effective Gap	9.947
Reference Block Gap	6.807

Dimensions in mm



LCLS II - SXR Undulator

Nominal Gap = 10 Nominal Taper = 0.000
 Gap Reading = 10.0000 US Encoder = 10.0000 DS Encoder = 10.0000

02-OCT-2018
 S/N = 015
 D/S= 0001
 Run= 5