

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 1

Regression Line Through Points =

Dimensions in mm




## LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 10.0000      US Encoder = 10.0000      DS Encoder = 9.9999

23-OCT-2018

S/N = 016  
 D/S = 0001  
 Run = 1

# Gap Between Opposing Pole Tips



Step Between Measured Pole Tips = 1

Dimensions in mm




## LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 10.0000      US Encoder = 10.0000      DS Encoder = 9.9999

23-OCT-2018  
 S/N = 016  
 D/S = 0001  
 Run = 1

### Symmetry Point Between Pole Tips



Mean Symmetry Value = 0.0649

Step Between Measured Pole Tips = 1

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 10.0000      US Encoder = 10.0000      DS Encoder = 9.9999

23-OCT-2018  
 S/N = 016  
 D/S = 0001  
 Run = 1

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
<b>Top</b>	5.0536	5.0517	5.0468	5.0448
<b>Bottom</b>	-4.9010	-4.9091	-4.9296	-4.9379
<b>Gap</b>	9.9546			9.9827
<b>Taper</b>				0.0280

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
5.0492	-4.9194	9.9686	0.0649

## Additional Calculated Values

<b>Bottom Pole #1 Z Value</b>	<b>979.935</b>
<b>Top Jaw Pitch (mrad)</b>	<b>-0.003</b>
<b>Bottom Jaw Pitch(mrad)</b>	<b>-0.011</b>
<b>Minimum Effective Gap</b>	<b>9.913</b>
<b>Reference Block Gap</b>	<b>6.809</b>

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 10.0000      US Encoder = 10.0000      DS Encoder = 9.9999

23-OCT-2018  
 S/N = 016  
 D/S = 0001  
 Run = 1