

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 1

Regression Line Through Points = -----

Dimensions in mm




**LCLS II - SXR Undulator**

Nominal Gap = 10      Nominal Taper = 0.000  
Gap Reading = 10.0000      US Encoder = 10.0000      DS Encoder = 10.0000

01-MAR-2019  
S/N = 020  
D/S = 0001  
Run = 10

# Gap Between Opposing Pole Tips



Step Between Measured Pole Tips = 1

Dimensions in mm




## LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 10.0000      US Encoder = 10.0000      DS Encoder = 10.0000

01-MAR-2019  
 S/N = 020  
 D/S = 0001  
 Run = 10

### Symmetry Point Between Pole Tips



Mean Symmetry Value = 0.0408

Step Between Measured Pole Tips = 1

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 10.0000      US Encoder = 10.0000      DS Encoder = 10.0000

01-MAR-2019  
 S/N = 020  
 D/S = 0001  
 Run = 10

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
<b>Top</b>	5.0430	5.0439	5.0463	5.0473
<b>Bottom</b>	-4.9681	-4.9661	-4.9609	-4.9588
<b>Gap</b>	10.0111			10.0061
<b>Taper</b>				-0.0049

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
5.0451	-4.9635	10.0086	0.0408

## Additional Calculated Values

<b>Bottom Pole #1 Z Value</b>	<b>980.524</b>
<b>Top Jaw Pitch (mrad)</b>	<b>0.001</b>
<b>Bottom Jaw Pitch(mrad)</b>	<b>0.003</b>
<b>Minimum Effective Gap</b>	<b>9.948</b>
<b>Reference Block Gap</b>	<b>6.809</b>

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 10.0000    US Encoder = 10.0000    DS Encoder = 10.0000

01-MAR-2019  
 S/N = 020  
 D/S = 0001  
 Run = 10