

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 1

Regression Line Through Points =

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 0.0000      US Encoder = 0.0000      DS Encoder = 0.0000


21-NOV-2019

S/N = 021

D/S = 0001

Run = 1

# Gap Between Opposing Pole Tips



Step Between Measured Pole Tips = 1

Dimensions in mm




## LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 0.0000      US Encoder = 0.0000      DS Encoder = 0.0000

21-NOV-2019  
 S/N = 021  
 D/S = 0001  
 Run = 1

### Symmetry Point Between Pole Tips



Mean Symmetry Value = 0.0360

Step Between Measured Pole Tips = 1

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 0.0000      US Encoder = 0.0000      DS Encoder = 0.0000

21-NOV-2019  
 S/N = 021  
 D/S = 0001  
 Run = 1

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
<b>Top</b>	5.0772	5.0846	5.1034	5.1110
<b>Bottom</b>	-5.0725	-5.0503	-4.9943	-4.9716
<b>Gap</b>	10.1497			10.0826
<b>Taper</b>				-0.0671

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
5.0941	-5.0220	10.1161	0.0360

## Additional Calculated Values

<b>Bottom Pole #1 Z Value</b>	<b>980.155</b>
<b>Top Jaw Pitch (mrad)</b>	<b>0.010</b>
<b>Bottom Jaw Pitch(mrad)</b>	<b>0.030</b>
<b>Minimum Effective Gap</b>	<b>10.013</b>
<b>Reference Block Gap</b>	<b>6.799</b>

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10                      Nominal Taper = 0.000  
 Gap Reading = 0.0000      US Encoder = 0.0000      DS Encoder = 0.0000

21-NOV-2019  
 S/N = 021  
 D/S= 0001  
 Run= 1