

Y Value Scales Centered on Mean Values  
 Step Between Measured Pole Tips = 50

Regression Line Through Points = -----  
 Dimensions in mm




## LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000

Gap Reading = 10.0001      US Encoder = 10.0002      DS Encoder = 10.0000

15-MAR-2019  
 S/N = 022  
 D/S = 0001  
 Run = 2



Step Between Measured Pole Tips = 50

Dimensions in mm




### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 10.0001      US Encoder = 10.0002      DS Encoder = 10.0000

15-MAR-2019  
 S/N = 022  
 D/S = 0001  
 Run = 2

### Symmetry Point Between Pole Tips



Mean Symmetry Value = 0.0188

Step Between Measured Pole Tips = 50

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 10.0001      US Encoder = 10.0002      DS Encoder = 10.0000

15-MAR-2019  
 S/N = 022  
 D/S = 0001  
 Run = 2

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
<b>Top</b>	5.0140	5.0208	5.0379	5.0449
<b>Bottom</b>	-5.0121	-5.0023	-4.9775	-4.9674
<b>Gap</b>	10.0261			10.0123
<b>Taper</b>				-0.0138

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
5.0298	-4.9923	10.0221	0.0188

## Additional Calculated Values

<b>Bottom Pole #1 Z Value</b>	<b>980.569</b>
<b>Top Jaw Pitch (mrad)</b>	<b>0.009</b>
<b>Bottom Jaw Pitch(mrad)</b>	<b>0.013</b>
<b>Minimum Effective Gap</b>	<b>9.967</b>
<b>Reference Block Gap</b>	<b>6.809</b>

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 10.0001      US Encoder = 10.0002      DS Encoder = 10.0000

15-MAR-2019  
 S/N = 022  
 D/S= 0001  
 Run= 2