


Included Angle Between Pole Tips

Pole Tip Num. ----->

Angle of Symmetry Line between Pole Tips to Tuning Gap ZX Plane



Dimensions in MM, Angles in Milliradians




SLAC
NATIONAL ACCELERATOR LABORATORY
METROLOGY

HGVPU - Pole Tip Angles

Nominal Gap :	9.000	US Full :	8.9999	DS Full :	8.9998
Nom. Taper :	0.000	US Wall Half :	4.5021	DS Wall Half :	4.5025
		US Aisle Half :	4.5004	DS Aisle Half :	4.5046

S/N	: HXU 017
Date	: 03-NOV-2022
Data Set	: 0002
Run	: FINAL
Cam Pos.	: B




Pole Tip Num. ----->

Aisle Pole Tips at Nom. Beam Height

Blue = Pole Tip points
 Green = Mean line
 Red = Regression line thru points

Minimum Clearance Gap = 8.939



Girder centerline in reference to Pointed Magnets

Dimensions in MM, Angles in Milliradians

	HGVPU - Pole Tip Location from Girder Centerline				
	Nominal Gap :	9.000	US Full :	8.9999	
Nom. Taper :	0.000	US Wall Half :	4.5021	DS Full :	8.9998
		US Aisle Half :	4.5004	DS Wall Half :	4.5025
				DS Aisle Half :	4.5046
S/N	: HXU 017	Date	: 03-NOV-2022	Run	: FINAL
Cam Pos.	: B				

Values Calculated from Regression Line End Points

Dimension	X Value	Y Value	Z Value	Calc. Value
US Aisle Pole Tip(1)	4.495	0.000	8.750	
US Wall Pole Tip(1)	-4.535	0.000	8.750	
US Sym. Pt.	-0.020			
US Gap				9.030
DS Aisle Pole Tip(260)	4.525	0.000	3375.750	
DS Wall Pole Tip(260)	-4.517	0.000	3375.750	
DS Sym. Pt.	0.004			
DS Gap				9.042
Taper				0.012


Dimensions in MM



HGVPU - Gap Calc. from Regression Line End Points

Nominal Gap :	9.000	US Full :	8.9999	DS Full :	8.9998
Nom. Taper :	0.000	US Wall Half :	4.5021	DS Wall Half :	4.5025
		US Aisle Half :	4.5004	DS Aisle Half :	4.5046


S/N	: HXU_017
Date	: 03-NOV-2022
Data Set	: 0002
Run	: FINAL
Cam Pos.	: B



Pole Tip Gap at Nom. Beam Height

Blue = Pole Tip points
 Green = Mean line
 Red = Regression line thru points

Pole Tip Symmetry Point at Nom. Beam Height



Girder centerline in reference to Pointed Magnets


Dimensions in MM, Angles in Milliradians

SLAC
NATIONAL ACCELERATOR LABORATORY
METROLOGY

HGVPU - Pole Tip Gap and Symmetry Point Location

Nominal Gap :	9.000	US Full :	8.9999	DS Full :	8.9998
Nom. Taper :	0.000	US Wall Half :	4.5021	DS Wall Half :	4.5025
		US Aisle Half :	4.5004	DS Aisle Half :	4.5046


S/N	: HXU_017
Date	: 03-NOV-2022
Data Set	: 0002
Run	: FINAL
Cam Pos.	: B



Aisle Pole Tips

Pole Tip Num. ----->

Wall Pole Tips



Pole Tip Deviations from Jaw Mean Lines when aligned to actual Gap Sym. Plane

Dimensions in MM



HGVPU - Pole Tip Deviation from Mean Line

Nominal Gap :	9.000	US Full :	8.9999	DS Full :	8.9998
Nom. Taper :	0.000	US Wall Half :	4.5021	DS Wall Half :	4.5025
		US Aisle Half :	4.5004	DS Aisle Half :	4.5046

S/N	: HXU_017
Date	: 03-NOV-2022
Data Set	: 0002
Run	: FINAL
Cam Pos.	: B