


Included Angle Between Pole Tips

Pole Tip Num. ----->

Angle of Symmetry Line between Pole Tips to Grider ZX Plane




Dimensions in MM, Angles in Milliradians



HGVPU - Pole Tip Angles

Nominal Gap :	40.000	US Full :	39.9999	DS Full :	40.0004
Nom. Taper :	0.000	US Wall Half :	19.9889	DS Wall Half :	19.9914
		US Aisle Half :	19.9902	DS Aisle Half :	19.9895

S/N	: HXU_022
Date	: 17-JUN-2019
Data Set	: 0001
Run	: FINAL
Cam Pos.	: B




Aisle Pole Tips at Nom. Beam Height

Blue = Pole Tip points
 Green = Mean line
 Red = Regression line thru points

Pole Tip Num. ----->

Wall Pole Tips at Nom. Beam Height

Minimum Clearance Gap = 39.808



Girder centerline in reference to Pointed Magnets

Dimensions in MM, Angles in Milliradians



HGVPU - Pole Tip Location from Girder Centerline

Nominal Gap :	40.000	US Full :	39.9999	DS Full :	40.0004
Nom. Taper :	0.000	US Wall Half :	19.9889	DS Wall Half :	19.9914
		US Aisle Half :	19.9902	DS Aisle Half :	19.9895

S/N	: HXU_022
Date	: 17-JUN-2019
Data Set	: 0001
Run	: FINAL
Cam Pos.	: B

Values Calculated from Regression Line End Points

Dimension	X Value	Y Value	Z Value	Calc. Value
US Aisle Pole Tip(1)	19.915	0.000	8.750	
US Wall Pole Tip(1)	-20.028	0.000	8.750	
US Sym. Pt.	-0.056			
US Gap				39.944
DS Aisle Pole Tip(260)	19.953	0.000	3375.750	
DS Wall Pole Tip(260)	-19.994	0.000	3375.750	
DS Sym. Pt.	-0.021			
DS Gap				39.946
Taper				0.003


Dimensions in MM



HGVPU - Gap Calc. from Regression Line End Points

Nominal Gap :	40.000	US Full :	39.9999	DS Full :	40.0004
Nom. Taper :	0.000	US Wall Half :	19.9889	DS Wall Half :	19.9914
		US Aisle Half :	19.9902	DS Aisle Half :	19.9895

S/N	: HXU_022
Date	: 17-JUN-2019
Data Set	: 0001
Run	: FINAL
Cam Pos.	: B




Pole Tip Gap at Nom. Beam Height

Blue = Pole Tip points
 Green = Mean line
 Red = Regression line thru points

Pole Tip Num. ----->

Pole Tip Symmetry Point at Nom. Beam Height



Girder centerline in reference to Pointed Magnets


Dimensions in MM, Angles in Milliradians



HGVPU - Pole Tip Gap and Symmetry Point Location

Nominal Gap :	40.000	US Full :	39.9999	DS Full :	40.0004
Nom. Taper :	0.000	US Wall Half :	19.9889	DS Wall Half :	19.9914
		US Aisle Half :	19.9902	DS Aisle Half :	19.9895


S/N	: HXU_022
Date	: 17-JUN-2019
Data Set	: 0001
Run	: FINAL
Cam Pos.	: B



Aisle Pole Tips

Pole Tip Num. ----->

Wall Pole Tips



Pole Tip Deviations from Jaw Mean Lines when aligned to actual Gap Sym. Plane

Dimensions in MM



HGVPU - Pole Tip Deviation from Mean Line

Nominal Gap : 40.000
Nom. Taper : 0.000

US Full :	39.9999	DS Full :	40.0004
US Wall Half :	19.9889	DS Wall Half :	19.9914
US Aisle Half :	19.9902	DS Aisle Half :	19.9895

S/N	: HXU_022
Date	: 17-JUN-2019
Data Set	: 0001
Run	: FINAL
Cam Pos.	: B