

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 10

Regression Line Through Points = -----

Dimensions in mm




## LCLS II - SXR Undulator

Nominal Gap = 11                      Nominal Taper = 0

Gap Reading = 10.0000    US Encoder = 10.0000    DS Encoder = 10.0000

29-MAR-2018  
 S/N = 008  
 D/S = 0001  
 Run = 9

### Gap Between Opposing Pole Tips



Step Between Measured Pole Tips = 10


Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 11      Nominal Taper = 0  
 Gap Reading = 10.0000      US Encoder = 10.0000      DS Encoder = 10.0000

29-MAR-2018  
 S/N = 008  
 D/S = 0001  
 Run = 9



Mean Symmetry Value = 0.1035

Step Between Measured Pole Tips = 10

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 11                      Nominal Taper = 0  
 Gap Reading = 10.0000    US Encoder = 10.0000    DS Encoder = 10.0000

29-MAR-2018  
 S/N = 008  
 D/S = 0001  
 Run = 9

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
<b>Top</b>	5.6040	5.6044	5.6053	5.6057
<b>Bottom</b>	-5.4162	-5.4084	-5.3884	-5.3804
<b>Gap</b>	11.0202			10.9860
<b>Taper</b>				-0.0342

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
5.6044	-5.3974	11.0018	0.1035

## Additional Calculated Values

<b>Bottom Pole #1 Z Value</b>	<b>979.390</b>
<b>Top Jaw Pitch (mrad)</b>	<b>0.000</b>
<b>Bottom Jaw Pitch(mrad)</b>	<b>0.011</b>
<b>Minimum Effective Gap</b>	<b>10.973</b>
<b>Reference Block Gap</b>	<b>6.803</b>

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 11                      Nominal Taper = 0  
 Gap Reading = 10.0000      US Encoder = 10.0000      DS Encoder = 10.0000

29-MAR-2018  
 S/N = 008  
 D/S= 0001  
 Run= 9