

Minimum Effective Gap = 11.978

Y Value Scales Centered on Mean Values  
Step Between Measured Pole Tips = 10

Regression Line Through Points = -----  
Dimensions in mm




## LCLS II - SXR Undulator

Nominal Gap = 12      Nominal Taper = 0.000  
Gap Reading = 12.0001      US Encoder = 12.0001      DS Encoder = 12.0001

19-APR-2018  
S/N = 009  
D/S = 0001  
Run = 7

### Gap Between Opposing Pole Tips



Step Between Measured Pole Tips = 10

Dimensions in mm




### LCLS II - SXR Undulator

Nominal Gap = 12      Nominal Taper = 0.000  
 Gap Reading = 12.0001      US Encoder = 12.0001      DS Encoder = 12.0001

19-APR-2018  
 S/N = 009  
 D/S = 0001  
 Run = 7

### Symmetry Point Between Pole Tips



Mean Symmetry Value = 0.0174

Step Between Measured Pole Tips = 10

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 12      Nominal Taper = 0.000  
 Gap Reading = 12.0001      US Encoder = 12.0001      DS Encoder = 12.0001

19-APR-2018  
 S/N = 009  
 D/S = 0001  
 Run = 7

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
<b>Top</b>	6.0286	6.0251	6.0166	6.0131
<b>Bottom</b>	-5.9691	-5.9769	-5.9966	-6.0046
<b>Gap</b>	11.9977			12.0177
<b>Taper</b>				0.0200

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
6.0206	-5.9857	12.0063	0.0174

## Additional Calculated Values

<b>Bottom Pole #1 Z Value</b>	<b>979.421</b>
<b>Top Jaw Pitch (mrad)</b>	<b>-0.005</b>
<b>Bottom Jaw Pitch(mrad)</b>	<b>-0.011</b>
<b>Minimum Effective Gap</b>	<b>11.978</b>
<b>Reference Block Gap</b>	<b>6.806</b>

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 12      Nominal Taper = 0.000  
 Gap Reading = 12.0001      US Encoder = 12.0001      DS Encoder = 12.0001

19-APR-2018  
 S/N = 009  
 D/S= 0001  
 Run= 7