

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 1

Regression Line Through Points =

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = -0.100  
 Gap Reading = 9.9500      US Encoder = 10.0000      DS Encoder = 9.9000


03-JUL-2018

S/N = 012

D/S = 0001

Run = 17

### Gap Between Opposing Pole Tips



Mean Gap = 9.9566

Step Between Measured Pole Tips = 1


Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = -0.100  
 Gap Reading = 9.9500      US Encoder = 10.0000      DS Encoder = 9.9000

03-JUL-2018  
 S/N = 012  
 D/S = 0001  
 Run = 17



Mean Symmetry Value = 0.0884

Step Between Measured Pole Tips = 1

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = -0.100  
 Gap Reading = 9.9500      US Encoder = 10.0000      DS Encoder = 9.9000

03-JUL-2018  
 S/N = 012  
 D/S = 0001  
 Run = 17

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
<b>Top</b>	5.0856	5.0773	5.0563	5.0478
<b>Bottom</b>	-4.9233	-4.9087	-4.8716	-4.8565
<b>Gap</b>	10.0089			9.9043
<b>Taper</b>				-0.1046

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
5.0667	-4.8899	9.9566	0.0884

## Additional Calculated Values

<b>Bottom Pole #1 Z Value</b>	<b>979.816</b>
<b>Top Jaw Pitch (mrad)</b>	<b>-0.011</b>
<b>Bottom Jaw Pitch(mrad)</b>	<b>0.020</b>
<b>Minimum Effective Gap</b>	<b>9.862</b>
<b>Reference Block Gap</b>	<b>6.810</b>

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = -0.100  
 Gap Reading = 9.9500      US Encoder = 10.0000      DS Encoder = 9.9000

03-JUL-2018  
 S/N = 012  
 D/S = 0001  
 Run = 17