


Y Value Scales Centered on Mean Values  
 Step Between Measured Pole Tips = 7

Regression Line Through Points =   
 Dimensions in mm

	<h2 style="margin: 0;">LCLS II - SXR Undulator</h2> <p style="margin: 0;">Nominal Gap = 7.4      Nominal Taper = 0.000</p> <p style="margin: 0;">Gap Reading = 7.4000      US Encoder = 7.4000      DS Encoder = 7.3999</p>	<p style="margin: 0;">21-AUG-2018</p> <p style="margin: 0;">S/N = 014</p> <p style="margin: 0;">D/S = 0001</p> <p style="margin: 0;">Run = 2</p>
---	---	--

# Gap Between Opposing Pole Tips



Step Between Measured Pole Tips = 7

Dimensions in mm




## LCLS II - SXR Undulator

Nominal Gap = 7.4      Nominal Taper = 0.000  
 Gap Reading = 7.4000      US Encoder = 7.4000      DS Encoder = 7.3999

21-AUG-2018  
 S/N = 014  
 D/S = 0001  
 Run = 2

### Symmetry Point Between Pole Tips



Mean Symmetry Value = -0.0513

Step Between Measured Pole Tips = 7

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 7.4      Nominal Taper = 0.000  
 Gap Reading = 7.4000      US Encoder = 7.4000      DS Encoder = 7.3999

21-AUG-2018  
 S/N = 014  
 D/S = 0001  
 Run = 2

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
<b>Top</b>	3.6228	3.6275	3.6395	3.6443
<b>Bottom</b>	-3.7528	-3.7453	-3.7263	-3.7186
<b>Gap</b>	7.3756			7.3630
<b>Taper</b>				-0.0126

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
3.6334	-3.7360	7.3693	-0.0513

## Additional Calculated Values

<b>Bottom Pole #1 Z Value</b>	<b>979.941</b>
<b>Top Jaw Pitch (mrad)</b>	<b>0.006</b>
<b>Bottom Jaw Pitch(mrad)</b>	<b>0.010</b>
<b>Minimum Effective Gap</b>	<b>7.317</b>
<b>Reference Block Gap</b>	<b>6.806</b>

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 7.4                      Nominal Taper = 0.000  
 Gap Reading = 7.4000      US Encoder = 7.4000      DS Encoder = 7.3999

21-AUG-2018  
 S/N = 014  
 D/S= 0001  
 Run= 2