

Y Value Scales Centered on Mean Values

Step Between Measured Pole Tips = 10

Regression Line Through Points = -----

Dimensions in mm



## LCLS II - SXR Undulator

Nominal Gap = 10

Nominal Taper = 0.000

Gap Reading = 10.0000

US Encoder = 0.0100


DS Encoder = 0.0100

22-NOV-2019

S/N = 021

D/S = 0001

Run = 6



Step Between Measured Pole Tips = 10

Dimensions in mm




## LCLS II - SXR Undulator

Nominal Gap = 10                      Nominal Taper = 0.000  
 Gap Reading = 10.0000      US Encoder = 0.0100      DS Encoder = 0.0100

22-NOV-2019  
 S/N = 021  
 D/S = 0001  
 Run = 6

### Symmetry Point Between Pole Tips



Mean Symmetry Value = 0.0789

Step Between Measured Pole Tips = 10

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10      Nominal Taper = 0.000  
 Gap Reading = 10.0000      US Encoder = 0.0100      DS Encoder = 0.0100

22-NOV-2019  
 S/N = 021  
 D/S = 0001  
 Run = 6

## Top and Bottom Jaw Regression Line Intersect Points

Jaw	First Pole (Pole 1)	US Actuator (Pole 39)	DS Actuator (Pole 135)	Last Pole (Pole 174)
<b>Top</b>	5.0823	5.0820	5.0814	5.0811
<b>Bottom</b>	-4.9240	-4.9242	-4.9245	-4.9247
<b>Gap</b>	10.0063			10.0057
<b>Taper</b>				-0.0005

## Summary of Mean Values

Top Jaw Poles	Btm. Jaw Poles	Gap Values	Sym. Pt. Values
5.0824	-4.9245	10.0069	0.0789

## Additional Calculated Values

<b>Bottom Pole #1 Z Value</b>	<b>980.155</b>
<b>Top Jaw Pitch (mrad)</b>	<b>0.000</b>
<b>Bottom Jaw Pitch(mrad)</b>	<b>0.000</b>
<b>Minimum Effective Gap</b>	<b>9.974</b>
<b>Reference Block Gap</b>	<b>6.799</b>

Dimensions in mm



### LCLS II - SXR Undulator

Nominal Gap = 10                      Nominal Taper = 0.000  
 Gap Reading = 10.0000      US Encoder = 0.0100      DS Encoder = 0.0100

22-NOV-2019  
 S/N = 021  
 D/S= 0001  
 Run= 6