SLAC Magnetic Measurements

EPU Analysis
−−−−−−−−−−−

Parameters:
INPUT−FILE−DIR =s:\MagData\LCLS\Undulator\SSRL−BL5−EPU\DATASET0001\Rough Tuning\Z Scans\Run 034\
INPUT−FILE−NAME =x+00000−y+000−bscanz.dat
INPUT−FILE−TYPE =ZVXYBXYH
CORR−REQUIRED =1
GAMMA =5878
NOM−LAMBDA−U =140
NOM−K−VALUE =9
NOM−LAMBDA−R =0
NUM−POLES =31
NUM−END−POLES =4
CELL−LENGTH =3.126


Bx Field Correction vs Zm
x 10^-5
Bx Corr (T)
−2
−2
−2
−2
−2
−2
0.5
1
1.5
2
2.5
3
3.5
4


By Field Correction vs Zm
x 10^-5
By Corr (T)
4
4
4
4
4
4
0.5
1
1.5
2
2.5
3
3.5
4
Zm Measurement Position (m)


Bx, By, Bz vs Zm
Bx (T)
By (T)
Bz (T)
1
0.5
0
−0.5
−1
0.5
1
1.5
2
2.5
3
3.5
4
Zm Measurement Position (m)


Bx and By vs Z
1
9
16
23
30
Pole
Bx
By
0.8
0.6
0.4
0.2
0
−0.2
−0.4
−0.6
−0.8
Bx, By (T)
−1.5
−1
−0.5
0
0.5
1
1.5
Z (m)


Bx vs Z With Fitted Peaks And Zeros
1
8
15
23
30
Pole
1
0.5
0
−0.5
−1
Bx (T)
−1.5
−1
−0.5
0
0.5
1
1.5
Z (m)


By vs Z With Fitted Peaks And Zeros
1
9
16
23
30
Pole
1
0.5
0
−0.5
−1
By (T)
−1.5
−1
−0.5
0
0.5
1
1.5
Z (m)


Abs(Fitted Peak Bx) vs Z, Excluding Ends
4
7
10
13
15
18
21
24
27
Pole
0.715
0.71
0.705
0.7
0.695
0.69
Abs(Peak Bx) (T)
Peak Fields: Ave = 0.702466 T, RMS = 0.004672 T
−0.8
−0.6
−0.4
−0.2
0
0.2
0.4
0.6
0.8
Z (m)


Abs(Fitted Peak By) vs Z, Excluding Ends
4
7
10
13
16
19
21
24
27
Pole
0.44
0.435
0.43
0.425
0.42
0.415
0.41
Abs(Peak By) (T)
Peak Fields: Ave = 0.429260 T, RMS = 0.004243 T
−0.8
−0.6
−0.4
−0.2
0
0.2
0.4
0.6
0.8
Z (m)


Bx Peak And Zero Field Spacing vs Z, Excluding Ends
Bx Peak And Zero Field Spacing (m)
Z (m)
Pole
Peaks
Zeros
Peak Field Spacing: Ave = 0.070021 m, RMS = 0.000097 m
Zero Field Spacing: Ave = 0.070016 m, RMS = 0.000129 m


By Peak And Zero Field Spacing vs Z, Excluding Ends
By Peak And Zero Field Spacing (m)
Z (m)
Pole
Peaks
Zeros
Peak Field Spacing: Ave = 0.070024 m, RMS = 0.000134 m
Zero Field Spacing: Ave = 0.070012 m, RMS = 0.000156 m


Bx Field Harmonics
|An|
|Bn|
Absolute Value Of An, Bn (T)
n
10^{0}
10^{-1}
10^{-2}
10^{-3}
10^{-4}
10^{-5}
10^{-6}
0
1
2
3
4
5
6
7
8
9
10


By Field Harmonics
|An|
|Bn|
Absolute Value Of An, Bn (T)
n
10^{0}
10^{-1}
10^{-2}
10^{-3}
10^{-4}
10^{-5}
10^{-6}
0
1
2
3
4
5
6
7
8
9
10


X Trajectory
x 10^-5
1
8
15
23
30
Pole
14
12
10
8
6
4
2
0
−2
−4
X Trajectory (m)
−1.5
−1
−0.5
0
0.5
1
1.5
Z (m)


Y Trajectory
x 10^-5
5
4
3
2
1
0
−1
−2
−3
−4
1
8
15
23
30
Pole
Y Trajectory (m)
−1.5
−1
−0.5
0
0.5
1
1.5
Z (m)


XY Trajectory Projection
x 10^-5
5
4
3
2
1
0
−1
−2
−3
−4
Y Trajectory (m)
−4
−2
0
2
4
6
8
10
12
14
X Trajectory (m)
x 10^-5