


B/L 9-3 TOP

SSRL

SLIT

RBZ

SCANNED



* SHORT ARM *

BL 9-3 ASSEMBLY INSTALLED ON BL 4-3

TB	X	Y	Z
A	-2.028"	+8.737	+0.011"
B	-1.091	+15.247	+2.106"
C	-2.129	+15.222	+0.069"
D	-1.06	+15.267	-1.952"

THIS IS NOW 4-3

(X)

RB Z

FL
JMc
MP
7-30-04

F Vcl .952
N .952
1st Far 18.569
N 18.482
2nd F 17.400
N 17.385
S/R 17.156
LOS 18.108

SCANNED

<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>
15.080	17.017	14.979	17.002
/	/	/	/
16.080	18.017	15.979	18.002
<u>18.108</u>	<u>18.108</u>	<u>18.108</u>	<u>18.108</u>
-2.028 ✓	-.091 ✓	-2.129 ✓	-.106 ✓

Corrected Values

+2.028

+.091

+2.129

+.106

RB Z

Mike +.021

S/R .581

Rd .582

8.970

.021

8.991 = BL

29.138

20.147 = HI ✓

FG
JMc
MP

7-30-04

SCANNED

A

10.410

1

11.410

20.147

8.737 ✓

B

3.900

1

4.900

20.147

15.247 ✓

C

3.925

1

4.925

20.147

15.222 ✓

D

3.880

1

4.880

20.147

15.267 ✓

Bottom Slit, Measured Up, Correct Values

-8.737

-15.247

-15.222

-15.267

②

RB 2

FG
JMc
MP
7-30-04

$$\begin{array}{r} 13.287 \\ 1.490 \\ \hline 14.777 \end{array} \quad \begin{array}{l} Rd \\ Ft + R \\ LOS \end{array} \quad \checkmark$$

SCANNED

$$\begin{array}{r} \underline{A} \\ 13.766 \\ 1 \\ 14.766 \\ 14.777 \\ \hline .011 \end{array} \quad \checkmark$$

$$\begin{array}{r} \underline{B} \\ 11.671 \\ 1 \\ 12.671 \\ 14.777 \\ \hline 2.106 \end{array} \quad \checkmark$$

$$\begin{array}{r} \underline{C} \\ 13.708 \\ 1 \\ 14.708 \\ 14.777 \\ \hline .069 \end{array} \quad \checkmark$$

$$\begin{array}{r} \underline{D} \\ 2.106 \\ 4.058 \\ \hline -1.952 \end{array} \quad \checkmark$$