

Cell Templates

PF-444-401-40a

	Actual Z (inch)	Actual X (inch)	Nominal Z (inch)	Nominal X (inch)	Delta Z (inch)	Delta X (inch)		Actual Z (inch)	Actual X (inch)	Delta Z (inch)	Delta X (inch)
O1	-84.612	-7.844	-84.637	-7.844	0.025	0.000		-84.598	-7.844	0.039	0.000
V1	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000	0.000
O2	60.389	-8.068	60.421	-5.599	-0.032	-2.469	*****	60.385	-5.588	-0.036	0.011
R1	-68.892	-23.086	-68.901	-23.094	0.009	0.008		-68.880	-23.084	0.021	0.011
R2	-68.892	-6.840	-68.901	-6.844	0.009	0.004		-68.878	-6.840	0.023	0.005
R3	-68.892	9.413	-68.901	9.406	0.009	0.007		-68.880	9.410	0.021	0.004
R4	-52.893	9.411	-52.901	9.406	0.008	0.005		-52.885	9.408	0.017	0.002
R5	-52.897	-6.838	-52.901	-6.844	0.004	0.006		-52.885	-6.835	0.017	0.009
R6	-52.898	-23.085	-52.901	-23.094	0.003	0.009		-52.889	-23.079	0.012	0.016
F1	32.098	-23.095	32.161	-23.094	-0.063	0.000		32.113	-23.104	-0.048	-0.010
F2	32.111	9.407	32.161	9.406	-0.050	0.001		32.120	9.419	-0.041	0.013
F3	45.359	9.395	45.411	9.406	-0.052	-0.011		45.354	9.409	-0.057	0.002
F4	45.354	-23.095	45.411	-23.094	-0.057	-0.001		45.348	-23.100	-0.064	-0.006
W1	-75.768	16.142	-75.784	16.141	0.016	0.001		-75.758	16.142	0.027	0.001
W2	-75.763	24.651	-75.779	24.647	0.016	0.004		-75.756	24.650	0.023	0.003
W3	-71.268	24.643	-71.281	24.642	0.013	0.001		-71.260	24.640	0.021	-0.002
W4	-71.262	16.147	-71.275	16.145	0.013	0.002		-71.252	16.145	0.023	0.000
W5	9.777	16.152	9.782	16.156	-0.005	-0.004		9.784	16.150	0.002	-0.006
W6	9.774	24.649	9.786	24.652	-0.012	-0.003		9.786	24.649	0.000	-0.003
W7	14.276	24.654	14.286	24.657	-0.010	-0.003		14.288	24.656	0.002	-0.002
W8	14.276	16.146	14.281	16.151	-0.005	-0.005		14.283	16.147	0.002	-0.004
W9	-75.676	17.140	-75.692	17.137	0.016	0.003		-75.666	17.137	0.026	0.000
W10	-75.673	25.644	-75.687	25.643	0.014	0.001		-75.666	25.642	0.021	-0.001
W11	-71.176	25.640	-71.188	25.638	0.012	0.002		-71.169	25.637	0.019	-0.002
W12	-71.170	17.141	-71.182	17.141	0.012	0.000		-71.159	17.138	0.023	-0.003
W13	9.867	17.148	9.874	17.152	-0.007	-0.004		9.875	17.146	0.001	-0.006
W14	9.867	25.642	9.878	25.648	-0.011	-0.006		9.878	25.642	0.000	-0.006
W15	14.367	25.650	14.378	25.653	-0.011	-0.003		14.380	25.652	0.002	-0.001
W16	14.367	17.142	14.373	17.147	-0.006	-0.005		14.374	17.143	0.001	-0.004

Note: Re-Drilled control hole O2

Cell Templates

PF-444-401-40b

	Actual Z (inch)	Actual X (inch)	Nominal Z (inch)	Nominal X (inch)	Delta Z (inch)	Delta X (inch)		Actual Z (inch)	Actual X (inch)	Delta Z (inch)	Delta X (inch)
O1	-84.606	-7.844	-84.637	-7.844	0.031	0.000		-84.604	-7.844	0.034	0.000
V1	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000	0.000
O2	60.384	-8.108	60.421	-5.599	-0.037	-2.509	*****	60.399	-5.624	-0.023	-0.025
R1	-68.888	-23.081	-68.901	-23.094	0.013	0.013		-68.883	-23.087	0.019	0.007
R2	-68.887	-6.837	-68.901	-6.844	0.014	0.007		-68.883	-6.841	0.018	0.003
R3	-68.884	9.413	-68.901	9.406	0.017	0.007		-68.886	9.409	0.015	0.003
R4	-52.889	9.416	-52.901	9.406	0.012	0.010		-52.888	9.408	0.013	0.002
R5	-52.897	-6.835	-52.901	-6.844	0.004	0.009		-52.887	-6.842	0.014	0.002
R6	-52.892	-23.079	-52.901	-23.094	0.009	0.015		-52.889	-23.083	0.012	0.011
F1	32.104	-23.107	32.161	-23.094	-0.057	-0.013		32.102	-23.090	-0.059	0.004
F2	32.117	9.406	32.161	9.406	-0.044	0.000		32.112	9.416	-0.049	0.010
F3	45.352	9.396	45.411	9.406	-0.059	-0.010		45.347	9.407	-0.064	0.001
F4	45.346	-23.110	45.411	-23.094	-0.065	-0.016		45.346	-23.090	-0.066	0.004
W1	-75.758	16.142	-75.784	16.141	0.026	0.001		-75.767	16.138	0.017	-0.003
W2	-75.752	24.651	-75.779	24.647	0.027	0.004		-75.765	24.648	0.014	0.001
W3	-71.257	24.644	-71.281	24.642	0.024	0.002		-71.267	24.641	0.014	-0.001
W4	-71.252	16.147	-71.275	16.145	0.023	0.002		-71.258	16.142	0.017	-0.003
W5	9.793	16.151	9.782	16.156	0.011	-0.005		9.792	16.150	0.009	-0.006
W6	9.796	24.651	9.786	24.652	0.010	-0.001		9.796	24.652	0.010	0.000
W7	14.296	24.652	14.286	24.657	0.010	-0.005		14.296	24.653	0.010	-0.004
W8	14.293	16.145	14.281	16.151	0.012	-0.006		14.291	16.149	0.010	-0.002
W9	-75.665	17.139	-75.692	17.137	0.027	0.002		-75.675	17.135	0.017	-0.002
W10	-75.660	25.645	-75.687	25.643	0.027	0.002		-75.673	25.642	0.014	-0.001
W11	-71.166	25.645	-71.188	25.638	0.022	0.007		-71.179	25.640	0.009	0.002
W12	-71.159	17.143	-71.182	17.141	0.023	0.002		-71.166	17.138	0.016	-0.003
W13	9.885	17.148	9.874	17.152	0.011	-0.004		9.884	17.148	0.010	-0.004
W14	9.887	25.644	9.878	25.648	0.009	-0.004		9.888	25.645	0.010	-0.003
W15	14.385	25.650	14.378	25.653	0.007	-0.003		14.386	25.652	0.008	-0.002
W16	14.383	17.143	14.373	17.147	0.010	-0.004		14.382	17.144	0.009	-0.003

Note: Re-Drilled control hole O2

Cell Templates

PF-444-401-41a

	Actual Z (inch)	Actual X (inch)	Nominal Z (inch)	Nominal X (inch)	Delta Z (inch)	Delta X (inch)
O2	-35.771	0.000	-35.780	0.000	0.010	0.000
M	0.000	0.000	0.000	0.000	0.000	0.000
O3	42.410	0.000	42.420	0.000	-0.010	0.000
R1	-24.751	-16.156	-24.752	-16.157	0.001	0.001
R2	-24.755	14.343	-24.752	14.343	-0.003	0.000
R3	-10.753	14.342	-10.752	14.343	-0.001	-0.001
R4	-10.756	-16.155	-10.752	-16.157	-0.003	0.002
F1	20.994	-16.156	21.000	-16.157	-0.006	0.001
F2	21.000	14.342	21.000	14.343	0.000	-0.001
F3	33.994	14.342	34.000	14.343	-0.006	-0.001
F4	33.990	-16.154	34.000	-16.157	-0.010	0.003
W1	-2.250	20.694	-2.250	20.700	0.000	-0.006
W2	-2.249	29.191	-2.250	29.200	0.001	-0.009
W3	2.250	29.193	2.250	29.200	0.000	-0.007
W4	2.249	20.691	2.250	20.700	-0.001	-0.009
W5	-2.249	21.691	-2.250	21.700	0.001	-0.009
W6	-2.249	30.193	-2.250	30.200	0.001	-0.007
W7	2.250	30.191	2.250	30.200	0.000	-0.009
W8	2.249	21.690	2.250	21.700	-0.001	-0.010

PF-444-401-41b

	Actual Z (inch)	Actual X (inch)	Nominal Z (inch)	Nominal X (inch)	Delta Z (inch)	Delta X (inch)
O2	-35.774	0.001	-35.780	0.000	0.006	0.001
M	0.000	-0.002	0.000	0.000	0.000	-0.002
O3	42.401	0.001	42.420	0.000	-0.020	0.001
R1	-24.753	-16.153	-24.752	-16.157	-0.001	0.004
R2	-24.751	14.349	-24.752	14.343	0.001	0.006
R3	-10.752	14.348	-10.752	14.343	0.000	0.005
R4	-10.756	-16.152	-10.752	-16.157	-0.004	0.005
F1	20.991	-16.151	21.000	-16.157	-0.009	0.006
F2	20.999	14.345	21.000	14.343	-0.001	0.002
F3	33.993	14.348	34.000	14.343	-0.007	0.005
F4	33.990	-16.152	34.000	-16.157	-0.010	0.006
W1	-2.250	20.698	-2.250	20.700	0.000	-0.002
W2	-2.248	29.197	-2.250	29.200	0.002	-0.003
W3	2.248	29.198	2.250	29.200	-0.002	-0.002
W4	2.249	20.697	2.250	20.700	-0.001	-0.003
W5	-2.249	21.698	-2.250	21.700	0.001	-0.002
W6	-2.248	30.199	-2.250	30.200	0.002	-0.001
W7	2.249	30.198	2.250	30.200	-0.002	-0.002
W8	2.250	21.696	2.250	21.700	-0.001	-0.005

Cell Templates

PF-444-401-42a

	Actual Z (inch)	Actual X (inch)	Nominal Z (inch)	Nominal X (inch)	Delta Z (inch)	Delta X (inch)
O3	-53.790	-4.989	-53.809	-4.986	0.019	-0.003
V2	0.000	0.004	0.000	0.000	0.000	0.004
O4	84.595	-7.846	84.637	-7.844	-0.042	-0.002
R1	52.893	-23.101	52.901	-23.094	-0.008	-0.007
R2	52.902	-6.855	52.901	-6.844	0.001	-0.011
R3	52.895	9.391	52.901	9.406	-0.006	-0.015
R4	68.879	9.407	68.901	9.406	-0.022	0.001
R5	68.898	-6.860	68.901	-6.844	-0.003	-0.016
R6	68.892	-23.107	68.901	-23.094	-0.009	-0.013
F1	-45.395	-23.091	-45.411	-23.094	0.016	0.003
F2	-45.400	9.393	-45.411	9.406	0.011	-0.013
F3	-32.153	9.393	-32.161	9.406	0.008	-0.013
F4	-32.153	-23.089	-32.161	-23.094	0.008	0.005
W1	1.877	16.123	1.868	16.151	0.009	-0.028
W2	1.873	24.631	1.863	24.657	0.010	-0.026
W3	6.368	24.622	6.363	24.652	0.005	-0.030
W4	6.375	16.127	6.367	16.156	0.008	-0.029
W5	60.483	16.125	60.488	16.149	-0.005	-0.024
W6	60.484	24.620	60.485	24.645	-0.001	-0.025
W7	64.980	24.624	64.983	24.650	-0.003	-0.026
W8	64.985	16.120	64.988	16.145	-0.003	-0.025
W9	1.785	17.118	1.776	17.146	0.009	-0.028
W10	1.782	25.625	1.771	25.652	0.011	-0.027
W11	6.276	25.617	6.271	25.647	0.005	-0.030
W12	6.280	17.124	6.275	17.152	0.005	-0.028
W13	60.394	17.121	60.396	17.145	-0.002	-0.024
W14	60.391	25.617	60.392	25.641	-0.002	-0.024
W15	64.887	25.619	64.891	25.646	-0.004	-0.027
W16	64.895	17.113	64.896	17.140	-0.001	-0.027

Cell Templates

PF444-401-42b

	Actual Z (inch)	Actual X (inch)	Nominal Z (inch)	Nominal X (inch)	Delta Z (inch)	Delta X (inch)
O3	-53.766	-5.001	-53.809	-4.986	0.043	-0.015
V2	0.000	0.025	0.000	0.000	0.000	0.025
O4	84.649	-7.854	84.637	-7.844	0.012	-0.010
R1	52.932	-23.096	52.901	-23.094	0.031	-0.002
R2	52.934	-6.848	52.901	-6.844	0.033	-0.003
R3	52.932	9.399	52.901	9.406	0.031	-0.007
R4	68.924	9.400	68.901	9.406	0.023	-0.006
R5	68.922	-6.846	68.901	-6.844	0.021	-0.002
R6	68.920	-23.095	68.901	-23.094	0.019	0.000
F1	-45.371	-23.108	-45.411	-23.094	0.040	-0.014
F2	-45.379	9.383	-45.411	9.406	0.032	-0.023
F3	-32.133	9.386	-32.161	9.406	0.028	-0.020
F4	-32.124	-23.103	-32.161	-23.094	0.038	-0.009
W1	1.898	16.125	1.868	16.151	0.030	-0.026
W2	1.893	24.633	1.863	24.657	0.030	-0.024
W3	6.388	24.629	6.363	24.652	0.025	-0.024
W4	6.396	16.129	6.367	16.156	0.029	-0.027
W5	60.512	16.136	60.488	16.149	0.024	-0.013
W6	60.510	24.632	60.485	24.645	0.025	-0.013
W7	64.999	24.639	64.983	24.650	0.016	-0.011
W8	65.009	16.132	64.988	16.145	0.021	-0.014
W9	1.807	17.120	1.776	17.146	0.031	-0.026
W10	1.800	25.628	1.771	25.652	0.029	-0.024
W11	6.294	25.622	6.271	25.647	0.023	-0.025
W12	6.304	17.125	6.275	17.152	0.029	-0.027
W13	60.420	17.132	60.396	17.145	0.024	-0.013
W14	60.416	25.630	60.392	25.641	0.024	-0.011
W15	64.907	25.635	64.891	25.646	0.016	-0.011
W16	64.916	17.129	64.896	17.140	0.020	-0.011

PF-444-401-43

	Actual Z (inch)	Actual X (inch)	Nominal Z (inch)	Nominal X (inch)	Delta Z (inch)	Delta X (inch)
O1	0.013	0.001	0.000	0.000	0.013	0.001
O2	23.929	1.661	23.942	1.662	-0.013	-0.001
R1	5.631	-15.068	5.639	-15.078	-0.008	0.010
R2	5.641	2.426	5.639	2.422	0.002	0.004
R3	5.648	19.927	5.639	19.922	0.009	0.005
R4	21.634	19.922	21.639	19.922	-0.005	0.000
R5	21.627	2.421	21.639	2.422	-0.012	-0.001
R6	21.615	-15.074	21.639	-15.078	-0.024	0.004

Cell Templates

PF-444-401-44

	Actual Z (inch)	Actual X (inch)	Nominal Z (inch)	Nominal X (inch)	Delta Z (inch)	Delta X (inch)
V1	0.018	-0.001	0.000	0.000	0.018	-0.001
O3	75.301	-5.227	75.319	-5.228	-0.018	0.001
F1	36.795	-23.070	36.792	-23.067	0.003	-0.003
F2	36.786	11.925	36.792	11.933	-0.007	-0.008
F3	49.787	11.928	49.792	11.933	-0.005	-0.005
F4	49.794	-23.071	49.792	-23.067	0.002	-0.004
W1	32.438	17.946	32.446	17.959	-0.008	-0.013
W2	32.433	26.447	32.444	26.459	-0.012	-0.012
W3	36.933	26.455	36.946	26.467	-0.013	-0.012
W4	36.938	17.957	36.947	17.967	-0.009	-0.010

PF-444-401-45

	Actual Z (inch)	Actual X (inch)	Nominal Z (inch)	Nominal X (inch)	Delta Z (inch)	Delta X (inch)
O4	-68.637	-4.771	-68.690	-4.766	0.053	-0.005
V2	0.000	0.009	0.000	0.000	0.000	0.009
O5	98.761	-6.859	98.762	-6.855	-0.001	-0.004
R1	71.323	-23.067	71.328	-23.067	-0.005	0.000
R2	71.327	-5.564	71.328	-5.567	-0.001	0.003
R3	71.335	11.936	71.328	11.933	0.007	0.003
R4	87.328	11.941	87.328	11.933	0.000	0.008
R5	87.327	-5.562	87.328	-5.567	-0.001	0.005
R6	87.324	-23.066	87.328	-23.067	-0.004	0.001
F1	-50.781	-23.063	-50.821	-23.067	0.040	0.004
F2	-50.784	11.920	-50.821	11.933	0.037	-0.013
F3	-37.817	11.927	-37.821	11.933	0.004	-0.006
F4	-37.810	-23.053	-37.821	-23.067	0.011	0.014
W1	-16.650	18.023	-16.653	18.022	0.003	0.001
W2	-16.650	26.523	-16.651	26.523	0.001	0.000
W3	-12.152	26.526	-12.150	26.524	-0.002	0.002
W4	-12.148	18.024	-12.152	18.024	0.004	0.000
W5	82.090	17.986	82.087	17.977	0.003	0.009
W6	82.092	26.480	82.090	26.468	0.002	0.012
W7	86.592	26.504	86.590	26.469	0.002	0.035
W8	86.592	17.977	86.589	17.969	0.002	0.008

Cell Templates

PF-444-401-46

	Actual Z (inch)	Actual X (inch)	Nominal Z (inch)	Nominal X (inch)	Delta Z (inch)	Delta X (inch)
O4	-39.879	2.768	-39.904	2.770	0.025	-0.002
O5	-0.025	0.002	0.000	0.000	-0.025	0.002
R1	-26.917	-14.586	-26.931	-14.579	0.014	-0.007
R2	-26.919	2.919	-26.931	2.921	0.012	-0.002
R3	-26.921	20.415	-26.931	20.421	0.010	-0.006
R4	-10.932	20.421	-10.931	20.421	-0.001	0.000
R5	-10.929	2.920	-10.931	2.921	0.002	-0.001
R6	-10.933	-14.582	-10.931	-14.579	-0.002	-0.003
W1	-34.648	28.243	-34.655	28.254	0.007	-0.012
W2	-34.642	36.742	-34.643	36.755	0.001	-0.013
W3	-30.143	36.744	-30.143	36.757	0.001	-0.013
W4	-30.147	28.244	-30.154	28.256	0.007	-0.012

PF-444-401-47



	Actual Z (inch)	Actual X (inch)	Nominal Z (inch)	Nominal X (inch)	Delta Z (inch)	Delta X (inch)
O3	-68.680	-4.768	-68.691	-4.768	0.011	0.000
V2	0.000	0.000	0.000	0.000	0.000	0.000
F1	-51.616	-23.065	-51.615	-23.067	-0.001	0.002
F2	-51.616	11.926	-51.615	11.933	0.000	-0.007
F3	-38.614	11.922	-38.615	11.933	0.001	-0.011
F4	-38.614	-23.066	-38.615	-23.067	0.001	0.001
W1	-12.354	19.807	-12.359	19.822	0.005	-0.015
W2	-12.354	28.306	-12.357	28.323	0.003	-0.017
W3	-7.850	28.302	-7.856	28.314	0.006	-0.012
W4	-7.852	19.802	-7.857	19.814	0.005	-0.012
W5	-52.589	19.148	-52.589	19.155	0.000	-0.007
W6	-53.180	27.633	-53.178	27.634	-0.002	-0.001
W7	-48.691	27.944	-48.688	27.946	-0.003	-0.002
W8	-48.100	19.460	-48.100	19.466	0.000	-0.007

Cell Templates

PF-444-401-48

	Actual Z (inch)	Actual X (inch)	Nominal Z (inch)	Nominal X (inch)	Delta Z (inch)	Delta X (inch)		Actual Z (inch)	Actual X (inch)	Delta Z (inch)	Delta X (inch)
O1	-98.747	-6.855	-98.762	-6.855	0.015	0.000		-98.720	-6.855	0.042	0.000
V1	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000	0.000
O2	75.825	-5.256	75.315	-5.228	0.510	-0.027	*****	75.302	-5.265	-0.013	-0.037
R1	-85.866	-23.067	-85.874	-23.067	0.008	0.000		-85.864	-23.055	0.010	0.012
R2	-85.872	-5.566	-85.874	-5.567	0.002	0.001		-85.856	-5.563	0.018	0.005
R3	-85.882	11.926	-85.874	11.933	-0.008	-0.007		-85.857	11.929	0.017	-0.004
R4	-69.882	11.929	-69.874	11.933	-0.008	-0.004		-69.867	11.930	0.007	-0.003
R5	-69.871	-5.563	-69.874	-5.567	0.003	0.004		-69.871	-5.555	0.003	0.012
R6	-69.861	-23.066	-69.874	-23.067	0.013	0.001		-69.875	-23.052	-0.001	0.015
F1	53.571	-23.087	53.644	-23.067	-0.073	-0.020		53.557	-23.113	-0.087	-0.046
F2	53.589	11.915	53.644	11.933	-0.055	-0.018		53.592	11.892	-0.052	-0.041
F3	66.589	11.911	66.644	11.933	-0.055	-0.022		66.586	11.882	-0.058	-0.051
F4	66.577	-23.092	66.644	-23.067	-0.068	-0.025		66.565	-23.116	-0.079	-0.049
W1	-85.282	19.754	-85.270	19.761	-0.012	-0.007		-85.255	19.755	0.015	-0.006
W2	-85.288	28.254	-85.271	28.261	-0.017	-0.007		-85.257	28.256	0.014	-0.005
W3	-80.793	28.255	-80.771	28.260	-0.022	-0.005		-80.764	28.256	0.007	-0.004
W4	-80.782	19.752	-80.769	19.759	-0.013	-0.007		-80.756	19.751	0.013	-0.008
W5	-85.366	18.506	-85.356	18.514	-0.010	-0.008		-85.340	18.507	0.016	-0.007
W6	-85.374	27.007	-85.358	27.014	-0.016	-0.007		-85.343	27.008	0.015	-0.006
W7	-80.878	27.008	-80.857	27.013	-0.021	-0.005		-80.847	27.007	0.010	-0.006
W8	-80.870	18.507	-80.856	18.512	-0.014	-0.005		-80.843	18.505	0.013	-0.007
W9	12.662	19.824	12.669	19.820	-0.007	0.004		12.659	19.804	-0.011	-0.016
W10	12.724	28.323	12.728	28.317	-0.005	0.006		12.720	28.299	-0.008	-0.018
W11	17.129	28.322	17.228	28.315	-0.099	0.007		17.128	28.299	-0.101	-0.016
W12	17.218	19.819	17.230	19.815	-0.012	0.004		17.214	19.798	-0.016	-0.017
W13	12.635	18.572	12.643	18.569	-0.008	0.003		12.631	18.554	-0.012	-0.015
W14	12.636	27.076	12.641	27.070	-0.005	0.006		12.633	27.052	-0.008	-0.018
W15	17.129	27.074	17.142	27.068	-0.013	0.005		17.126	27.052	-0.016	-0.016
W16	17.218	18.571	17.143	18.568	0.075	0.003		17.213	18.552	0.069	-0.016

Note: Re-Drilled control hole O2

 > +/- 0.015 inch
 Drawing value wrong