SLAC Magnetic Measurements

Hall Probe Array Analysis
****

Parameters:
INPUT-FILE-DIR =V:\MET\MagServe\MagData\DELTA\Delta Data 2015\New Measurements\Run 142 Repeat 2014 Meas With New
INPUT-FILE-NAME =DUTestOutput.dat
INPUT-FILE-TYPE =ZVXYZVXYZH
UND-POL-MODE =CIRC-POL-LEFT-HAND
PROBE1-BX-CALIB-FILE =V:\MET\MagServe\MagData\DELTA\Delta Data 2015\New Measurements\Yurii Hall Probe Calibrations\S
PROBE1-BY-CALIB-FILE =V:\MET\MagServe\MagData\DELTA\Delta Data 2015\New Measurements\Yurii Hall Probe Calibrations\S
PROBE2-BX-CALIB-FILE =V:\MET\MagServe\MagData\DELTA\Delta Data 2015\New Measurements\Yurii Hall Probe Calibrations\S
PROBE2-BY-CALIB-FILE =V:\MET\MagServe\MagData\DELTA\Delta Data 2015\New Measurements\Yurii Hall Probe Calibrations\S
NUM-ZERO-GAUSS-MEAS =200
PROBE2-OFFSET-DIR =Y


X Probe Pos
10-5
10
5
0
-5
X Probe (m)
0
0.5
1
1.5
2
2.5
3
3.5
4
Sample Number
10^4


Y Probe Pos
10-4
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
Y Probe (m)
0
0.5
1
1.5
2
2.5
3
3.5
4
Sample Number
10^4


dZ Probe Pos
10-5
12
10
8
6
4
2
0
-2
dZ Probe (m)
0
0.5
1
1.5
2
2.5
3
3.5
4
Sample Number
10^4


Probe 1, Raw: Measured Vxm, Vym, Vzm vs Zm
Vxm (V)
Vym (V)
Vzm (V)
5
0
-5
0.2
0.1
-0.1
-0.2
-0.3
0
0.5
1
1.5
2
2.5
3
3.5
4
Zm Measurement Position (m)


Probe 2, Raw: Measured Vxm, Vym, Vzm vs Zm
Vxm (V)
Vym (V)
Vzm (V)
5
0
-5
0.4
0.2
-0.2
-0.4
0
0.5
1
1.5
2
2.5
3
3.5
4
Zm Measurement Position (m)


Probe 1, Before: Measured Vx, Vy, Vz Offset Voltage Samples
10^-3
Vx (V)
-1.5
-1.55
-1.6
-1.65
10^-4
Vy (V)
0
-0.5
-1
-1.5
-2
10^-4
Vz (V)
-2
-3
-4
-5
-6
0
20
40
60
80
100
120
140
160
180
200
Sample Number


Probe 1, After: Measured Vx, Vy, Vz Offset Voltage Samples
10-3
-1.55
-1.6
-1.65
-1.7
Vx (V)
0
20
40
60
80
100
120
140
160
180
200
10-4
-2
-2.5
-3
-3.5
Vy (V)
0
20
40
60
80
100
120
140
160
180
200
10-4
-1
-1.5
-2
-2.5
Vz (V)
0
20
40
60
80
100
120
140
160
180
200
Sample Number


Probe 2, Before: Measured Vx, Vy, Vz Offset Voltage Samples
10^-3
Vx (V)
-2.2
-2.25
-2.3
-2.35
10^-3
Vy (V)
1.4
1.35
1.3
1.25
1.2
10^-4
Vz (V)
-5.5
-6
-6.5
-7
-7.5
0
20
40
60
80
100
120
140
160
180
200
Sample Number


Probe 2, After: Measured Vx, Vy, Vz Offset Voltage Samples
10-3
-2.25
-2.3
-2.35
-2.4
Vx (V)
0
20
40
60
80
100
120
140
160
180
200
10-3
1.4
1.35
1.3
1.25
1.2
Vy (V)
0
20
40
60
80
100
120
140
160
180
200
10-4
-5.5
-6
-6.5
Vz (V)
0
20
40
60
80
100
120
140
160
180
200
Sample Number


Probe 1 and Probe 2, Vx vs Z
Vx1
Vx2
Vx (V)
Z (m)
5
4
3
2
1
0
-1
-2
-3
-4
-5
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 1 and Probe 2, Vy vs Z
Vy1
Vy2
Vy (V)
Z (m)
5
4
3
2
1
0
-1
-2
-3
-4
-5
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 1 and Probe 2, Vz vs Z
Vz1
Vz2
Vz (V)
Z (m)
0.4
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
-0.4
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B Calibration, Probe 1 and Probe 2, Bx vs Z
Bx1
Bx2
Bx (T)
Z (m)
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B Calibration, Probe 1 and Probe 2, By vs Z
By1
By2
By (T)
Z (m)
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B Calibration, Probe 1 and Probe 2, Bz vs Z
Bz1
Bz2
Bz (T)
Z (m)
0.08
0.06
0.04
0.02
0
-0.02
-0.04
-0.06
-0.08
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B And Z-Offset Calibration, Probe 1 and Probe 2, Bx vs Z
Bx1
Bx2
Bx (T)
Z (m)
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B And Z-Offset Calibration, Probe 1 and Probe 2, By vs Z
By1
By2
By (T)
Z (m)
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B And Z-Offset Calibration, Probe 1 and Probe 2, Bz vs Z
Bz1
Bz2
Bz (T)
Z (m)
0.08
0.06
0.04
0.02
0
-0.02
-0.04
-0.06
-0.08
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B And Z-Offset And Hall Element Angle Calibration, Probe 1 and Probe 2, Bx vs Z
Bx1
Bx2
Bx (T)
Z (m)
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B And Z-Offset And Hall Element Angle Calibration, Probe 1 and Probe 2, By vs Z
By1
By2
By (T)
Z (m)
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B And Z-Offset And Hall Element Angle Calibration, Probe 1 and Probe 2, Bz vs Z
Bz1
Bz2
Bz (T)
Z (m)
0.08
0.06
0.04
0.02
0
-0.02
-0.04
-0.06
-0.08
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 1, V and Z Offset Corrected, Hall Angles Corrected: Bx, By, Bz vs Z
Bx (T)
By (T)
Bz (T)
Z Position (m)
1
0.5
0
-0.5
-1
0.06
0.04
0.02
-0.02
-0.04
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 2, V and Z Offset Corrected, Hall Angles Corrected: Bx, By, Bz vs Z
Bx (T)
By (T)
Bz (T)
Z Position (m)
1
0.5
0
-0.5
-1
0.1
0.05
-0.05
-0.1
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 1: Bx, By, Bz vs Z
Bx (T)
By (T)
Bz (T)
Z Position (m)
1
0.5
0
-0.5
-1
0.06
0.04
0.02
-0.02
-0.04
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 2: Bx, By, Bz vs Z
Bx (T)
By (T)
Bz (T)
Z Position (m)
1
0.5
0
-0.5
-1
0.1
0.05
-0.05
-0.1
0
0.5
1
1.5
2
2.5
3
3.5
4


Bx, B vs Z
Probe 1
Probe 2
B (T)
Z (m)
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
0
0.5
1
1.5
2
2.5
3
3.5
4


By, B vs Z
Probe 1
Probe 2
B (T)
Z (m)
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
0
0.5
1
1.5
2
2.5
3
3.5
4


Bz, B vs Z
Probe 1
Probe 2
B (T)
Z (m)
0.08
0.06
0.04
0.02
0
-0.02
-0.04
-0.06
-0.08
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 1: Bx vs Z With Fitted Peaks And Zeros
Bx (T)
Z (m)
Probe 1: By vs Z With Fitted Peaks And Zeros
By (T)
Z (m)
Probe 1: Bz vs Z With Fitted Peaks And Zeros
Bz (T)
Z (m)


Probe 2: Bx vs Z With Fitted Peaks And Zeros
Bx (T)
Z (m)
Probe 2: By vs Z With Fitted Peaks And Zeros
By (T)
Z (m)
Probe 2: Bz vs Z With Fitted Peaks And Zeros
Bz (T)
Z (m)


Bx: Positive Peaks From Probes 1 and 2
B Peak (T)
Z (m)
Probe 1
Probe 2
0.88
0.875
0.87
0.865
0.86
0.855
0.85
0.845
0.84
0
0.5
1
1.5
2
2.5
3
3.5


Bx: Negative Peaks From Probes 1 and 2
B Peak (T)
Z (m)
-0.83
-0.84
-0.85
-0.86
-0.87
-0.88
-0.89
0
0.5
1
1.5
2
2.5
3
3.5


By: Positive Peaks From Probes 1 and 2
Probe 1
Probe 2
B Peak (T)
Z (m)
0.88
0.87
0.86
0.85
0.84
0.83
0
0.5
1
1.5
2
2.5
3
3.5


By: Negative Peaks From Probes 1 and 2
B Peak (T)
Z (m)
-0.835
-0.84
-0.845
-0.85
-0.855
-0.86
-0.865
-0.87
-0.875
0
0.5
1
1.5
2
2.5
3
3.5


Bz: Positive Peaks From Probes 1 and 2
Probe 1
Probe 2
B Peak (T)
Z (m)
0.08
0.07
0.06
0.05
0.04
0.03
0.02
0.01
0
0.5
1
1.5
2
2.5
3
3.5


Bz: Negative Peaks From Probes 1 and 2
B Peak (T)
Z (m)
-0.01
-0.02
-0.03
-0.04
-0.05
-0.06
-0.07
-0.08
0
0.5
1
1.5
2
2.5
3
3.5


Abs(Fitted Peak Bx1) vs Z, Excluding Ends
Abs(Peak Bx1) (T)
0.89
0.88
0.87
0.86
0.85
0.84
0.83
0
0.5
1
1.5
2
2.5
3
3.5
Peak Fields: Ave = 0.859575 T, RMS = 0.007150 T
Z (m)


Abs(Fitted Peak Bx2) vs Z, Excluding Ends
Abs(Peak Bx2) (T)
0.89
0.88
0.87
0.86
0.85
0.84
0.83
0
0.5
1
1.5
2
2.5
3
3.5
Peak Fields: Ave = 0.860737 T, RMS = 0.007200 T
Z (m)



Peak Fields: Ave = 0.853925 T, RMS = 0.007932 T



Peak Fields: Ave = 0.851710 T, RMS = 0.007972 T


Fitted Bz1 At Bx1 Peaks vs Z, Excluding Ends
Bz1 At Bx1 Peak (T)
Z (m)
Bz1
Bz1 Filt
0.04
0.03
0.02
0.01
0
-0.01
-0.02
-0.03
-0.04
0
0.5
1
1.5
2
2.5
3
3.5


Fitted Bz2 At Bx2 Peaks vs Z, Excluding Ends
Bz2 At Bx2 Peaks (T)
Z (m)
Bz2
Bz2 Filt
0.08
0.06
0.04
0.02
0
-0.02
-0.04
-0.06
-0.08
0
0.5
1
1.5
2
2.5
3
3.5


Fitted Bz1 At By1 Peaks vs Z, Excluding Ends
Bz1 At By1 Peak (T)
Z (m)
Bz1
Bz1 Filt
0.06
0.04
0.02
0
-0.02
-0.04
0
0.5
1
1.5
2
2.5
3
3.5


Fitted Bz2 At By2 Peaks vs Z, Excluding Ends
Bz2 At By2 Peaks (T)
Z (m)
Bz2
Bz2 Filt
0.03
0.02
0.01
0
-0.01
-0.02
-0.03
0
0.5
1
1.5
2
2.5
3
3.5


Circ Pol Left Hand, Vert Probe Offset: (X1 - XC) vs Z
10^-4
3
2
1
0
(X1 - XC) (m)
0.5
1
1.5
2
2.5
3
Z (m)


Circ Pol Left Hand, Vert Probe Offset: (Y1 - YC) vs Z
10^-4
1.5
1
0.5
0
-0.5
-1
-1.5
-2
(Y1 - YC) (m)
0.5
1
1.5
2
2.5
3
Z (m)


Circ Pol Left Hand, Vert Probe Offset: Delta X vs Z
10^-4
-1.3
-1.35
-1.4
-1.45
-1.5
-1.55
Delta X (m)
0
0.5
1
1.5
2
2.5
3
3.5
Z (m)
Delta X: Ave = -0.000140 m, RMS = 0.000005 m


Circ Pol Left Hand, Vert Probe Offset: Delta Y vs Z
10^-4
-2.3
-2.35
-2.4
-2.45
-2.5
-2.55
-2.6
Delta Y (m)
0
0.5
1
1.5
2
2.5
3
3.5
Z (m)
Delta Y: Ave = -0.000242 m, RMS = 0.000005 m


X Probe, Probe Position From The Laser System
10-5
10
5
0
-5
X Probe (m)
0
0.5
1
1.5
2
2.5
3
3.5
4
Z (m)


Y Probe, Probe Position From The Laser System
10^-4
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
Y Probe (m)
0
0.5
1
1.5
2
2.5
3
3.5
4
Z (m)


X Center, X Beam Axis, Magnetic Center Rel Reference Axis
10-4
-1
-1.2
-1.4
-1.6
-1.8
-2
-2.2
-2.4
-2.6
-2.8
-3
X Center, X Beam Axis (m)
0
0.5
1
1.5
2
2.5
3
3.5
Z (m)


Y Center, Y Beam Axis, Magnetic Center Rel Reference Axis
10^-4
1.5
1
0.5
0
-0.5
-1
Y Center, Y Beam Axis (m)
0
0.5
1
1.5
2
2.5
3
3.5
Z (m)


Bx1 Additive Corr, Correction From Meas To Beam Axis
Delta B (T)
Z (m)
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
0
0.5
1
1.5
2
2.5
3
3.5
4


By1 Additive Corr, Correction From Meas To Beam Axis
Delta B (T)
Z (m)
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
0
0.5
1
1.5
2
2.5
3
3.5
4


Bz1 Additive Corr, Correction From Meas To Beam Axis
Delta B (T)
Z (m)
0.025
0.02
0.015
0.01
0.005
0
-0.005
-0.01
-0.015
-0.02
-0.025
0
0.5
1
1.5
2
2.5
3
3.5
4


Beam Axis: Bx, By, Bz vs Z
Bx (T)
By (T)
Bz (T)
Z Position (m)
1
0.5
0
-0.5
-1
0.06
0.04
0.02
-0.02
-0.04
0
0.5
1
1.5
2
2.5
3
3.5
4