SLAC Magnetic Measurements

Hall Probe Array Analysis
****

Parameters:
INPUT-FILE-DIR =V:\MET\MagServe\MagData\DELTA\Delta Data 2015\New Measurements\Run 151 LPHMF Probe Rotated 90 Deg\LPHMF\KR0100\
INPUT-FILE-NAME =DUTestOutput.dat
INPUT-FILE-TYPE =ZVXYZVXYZH
UND-POL-MODE =LIN-POL-HORIZ-FIELD
PROBE1-BX-CALIB-FILE =V:\MET\MagServe\MagData\DELTA\Delta Data 2015\New Measurements\Yurii Hall Probe Calibrations\SENIS-119-12-X.ini
PROBE1-BY-CALIB-FILE =V:\MET\MagServe\MagData\DELTA\Delta Data 2015\New Measurements\Yurii Hall Probe Calibrations\SENIS-119-12-Y.ini
PROBE2-BX-CALIB-FILE =V:\MET\MagServe\MagData\DELTA\Delta Data 2015\New Measurements\Yurii Hall Probe Calibrations\SENIS-120-12-X.ini
PROBE2-BY-CALIB-FILE =V:\MET\MagServe\MagData\DELTA\Delta Data 2015\New Measurements\Yurii Hall Probe Calibrations\SENIS-120-12-Y.ini
NUM-ZERO-GAUSS-MEAS =200
PROBE2-OFFSET-DIR =Y


X Probe Pos
×10^-5
10
5
0
-5
X Probe (m)
0
0.5
1
1.5
2
2.5
3
3.5
4
Sample Number
×10^4


Y Probe Pos
×10^-4
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1
Y Probe (m)
0
0.5
1
1.5
2
2.5
3
3.5
4
Sample Number
×10^4


dZ Probe Pos
×10-5
12
10
8
6
4
2
0
-2
dZ Probe (m)
0
0.5
1
1.5
2
2.5
3
3.5
4
×10^4
Sample Number



Probe 1, Before: Measured Vx, Vy, Vz Offset Voltage Samples
×10^-3
-1.5
-1.55
-1.6
-1.65
-1.7
Vx (V)
×10^-4
-1.5
-2
-2.5
-3
Vy (V)
×10^-4
-1.5
-2
-2.5
-3
Vz (V)
0 20 40 60 80 100 120 140 160 180 200
Sample Number



Probe 1, After: Measured Vx, Vy, Vz Offset Voltage Samples
Vx (V)
×10^-3
-1.5
-1.55
-1.6
-1.65
Vy (V)
×10^-4
-2
-2.5
-3
-3.5
Vz (V)
×10^-4
-1
-1.5
-2
-2.5
0
20
40
60
80
100
120
140
160
180
200
Sample Number


Probe 2, Before: Measured Vx, Vy, Vz Offset Voltage Samples
Vx (V)
×10^-3
-2.25
-2.3
-2.35
-2.4
Vy (V)
×10^-3
1.4
1.35
1.3
1.25
Vz (V)
×10^-4
-5
-5.5
-6
-6.5
0
20
40
60
80
100
120
140
160
180
200
Sample Number


Probe 2, After: Measured Vx, Vy, Vz Offset Voltage Samples
×10^-3
-2.3
-2.35
-2.4
-2.45
-2.5
Vx (V)
×10^-3
1.45
1.4
1.35
1.3
1.25
Vy (V)
×10^-4
-5.5
-6
-6.5
-7
Vz (V)
0 20 40 60 80 100 120 140 160 180 200
Sample Number



Probe 1 and Probe 2, Vx vs Z
Vx1
Vx2
Vx (V)
Z (m)
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 1 and Probe 2, Vy vs Z
Vy1
Vy2
Vy (V)
Z (m)
1.5
1
0.5
0
-0.5
-1
-1.5
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 1 and Probe 2, Vz vs Z
Vz1
Vz2
Vz (V)
Z (m)
2
1.5
1
0.5
0
-0.5
-1
-1.5
0
0.5
1
1.5
2
2.5
3
3.5
4



After V -> B Calibration, Probe 1 and Probe 2, Bx vs Z
Bx1
Bx2
Bx (T)
Z (m)
0.2
0.15
0.1
0.05
0
-0.05
-0.1
-0.15
-0.2
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B Calibration, Probe 1 and Probe 2, By vs Z
By1
By2
By (T)
Z (m)
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B Calibration, Probe 1 and Probe 2, Bz vs Z
Bz1
Bz2
Bz (T)
Z (m)
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
-0.4
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B And Z-Offset Calibration, Probe 1 and Probe 2, Bx vs Z
Bx1
Bx2
Bx (T)
Z (m)
0.2
0.15
0.1
0.05
0
-0.05
-0.1
-0.15
-0.2
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B And Z-Offset Calibration, Probe 1 and Probe 2, By vs Z
By1
By2
By (T)
Z (m)
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B And Z-Offset Calibration, Probe 1 and Probe 2, Bz vs Z
Bz1
Bz2
Bz (T)
Z (m)
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
-0.4
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B And Z-Offset And Hall Element Angle Calibration, Probe 1 and Probe 2, Bx vs Z
Bx1
Bx2
Bx (T)
Z (m)
0.2
0.15
0.1
0.05
0
-0.05
-0.1
-0.15
-0.2
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B And Z-Offset And Hall Element Angle Calibration, Probe 1 and Probe 2, By vs Z
By1
By2
By (T)
Z (m)
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
0
0.5
1
1.5
2
2.5
3
3.5
4


After V -> B And Z-Offset And Hall Element Angle Calibration, Probe 1 and Probe 2, Bz vs Z
Bz1
Bz2
Bz (T)
Z (m)
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
-0.4
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 1, V and Z Offset Corrected, Hall Angles Corrected: Bx, By, Bz vs Z
Bx (T)
By (T)
Bz (T)
Z Position (m)

Probe 2, V and Z Offset Corrected, Hall Angles Corrected: Bx, By, Bz vs Z





Probe 1: Bx, By, Bz vs Z
Bx (T)
By (T)
Bz (T)
0.2
0.1
0
-0.1
-0.2
0.4
0.2
0
-0.2
-0.4
0
0.5
1
1.5
2
2.5
3
3.5
4
Z Position (m)


Probe 2: Bx, By, Bz vs Z
Bx (T)
By (T)
Bz (T)
Z Position (m)
0.2
0.1
0
-0.1
-0.2
0.4
0.2
0
-0.2
-0.4
0
0.5
1
1.5
2
2.5
3
3.5
4



Probe 1: Bx and By vs Z
Bx
By
Bx, By (T)
Z (m)
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 2: Bx and By vs Z
Bx
By
Bx, By (T)
Z (m)
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 1: By and Bz vs Z
By
Bz
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
-0.4
By, Bz (T)
0
0.5
1
1.5
2
2.5
3
3.5
4
Z (m)


Probe 2: By and Bz vs Z
By
Bz
By, Bz (T)
Z (m)
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 1: Bx and Bz vs Z
Bx
Bz
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
-0.4
Bx, Bz (T)
0
0.5
1
1.5
2
2.5
3
3.5
4
Z (m)


Probe 2: Bx and Bz vs Z
Bx
Bz
Bx, Bz (T)
Z (m)
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
0
0.5
1
1.5
2
2.5
3
3.5
4


Bx, B vs Z
Probe 1
Probe 2
B (T)
Z (m)
0.2
0.15
0.1
0.05
0
-0.05
-0.1
-0.15
-0.2
0
0.5
1
1.5
2
2.5
3
3.5
4



By, B vs Z
Probe 1
Probe 2
B (T)
Z (m)
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
0
0.5
1
1.5
2
2.5
3
3.5
4


Bz, B vs Z
Probe 1
Probe 2
B (T)
Z (m)
0.3
0.2
0.1
0
-0.1
-0.2
-0.3
-0.4
0
0.5
1
1.5
2
2.5
3
3.5
4


Probe 1: Bx vs Z With Fitted Peaks And Zeros
Bx (T)
Z (m)
Probe 1: By vs Z With Fitted Peaks And Zeros
By (T)
Z (m)
Probe 1: Bz vs Z With Fitted Peaks And Zeros
Bz (T)
Z (m)


Probe 2: Bx vs Z With Fitted Peaks And Zeros
Bx (T)
Z (m)
Probe 2: By vs Z With Fitted Peaks And Zeros
By (T)
Z (m)
Probe 2: Bz vs Z With Fitted Peaks And Zeros
Bz (T)
Z (m)


Bx: Positive Peaks From Probes 1 and 2
B Peak (T)
Z (m)
Probe 1
Probe 2
0.12
0.1
0.08
0.06
0.04
0.02
0
0.5
1
1.5
2
2.5
3
3.5


Bx: Negative Peaks From Probes 1 and 2
B Peak (T)
Z (m)
0
-0.02
-0.04
-0.06
-0.08
-0.1
-0.12
0.5
1
1.5
2
2.5
3
3.5


By: Positive Peaks From Probes 1 and 2
B Peak (T)
Z (m)
Probe 1
Probe 2
0.2
0.18
0.16
0.14
0.12
0.1
0
0.5
1
1.5
2
2.5
3
3.5


By: Negative Peaks From Probes 1 and 2
B Peak (T)
Z (m)
-0.11
-0.12
-0.13
-0.14
-0.15
-0.16
-0.17
-0.18
-0.19
0
0.5
1
1.5
2
2.5
3
3.5


Bz: Positive Peaks From Probes 1 and 2
B Peak (T)
Z (m)
Probe 1
Probe 2
0.035
0.03
0.025
0.02
0.015
0.01
0
0.5
1
1.5
2
2.5
3
3.5
Bz: Negative Peaks From Probes 1 and 2
B Peak (T)
Z (m)
-0.01
-0.015
-0.02
-0.025
-0.03
-0.035
-0.04